rose plastic medical packaging

General catalog







Safe packaging solutions

for medical devices, dental, healthcare and laboratory

Packaging in the field of medical devices and healthcare today has to meet particularly strict requirements. The spectrum ranges from protection against mechanical damage and effective protection against contamination to double-sterile-barrier packaging for maximum protection against the ingress of germs.

rose plastic medical packaging specializes precisely in this. We not only develop and produce all our hard plastic packaging products ourselves, but also all the necessary molds.

We also develop tailor-made packaging solutions in close consultation with our customers.

So whenever you need high-quality, practical and secure protective packaging, you've come to the right place.

We will be happy to advise you on the many possible uses and advantages of our products.

Best wishes

Bernd Gerber


Managing Director rose plastic medical packaging GmbH





All from one source

From idea to finished package



1 The idea

DESIGN AND DEVELOPMENT

A good product is first and foremost based on a good idea that not only takes the customer's wishes into account, but also often exceeds them. The experts in our highly efficient inhouse development department take the design and construction of our packaging into their own hands right from the start. They and the proximity to our customers are the reasons for our well-designed, high-quality products.

2 The tool

We produce our packaging using highprecision blow molding and injection molding tools. But who produces our tools? We also do this ourselves from the design right through to CNC-supported production. Because decades of experience have taught us the exact requirements for our production tools. Through the years, we have developed and integrated numerous special features that ensure superior process and product quality.

3 The tests

TECHNICAL CENTER

At our in-house technical center we put new tools to the acid test, carry out exhaustive production tests, and give valuable feedback to our development team and tool shop. Our colleagues in this department also perform exacting material tests and trials.



Our packaging products only go into



series production (injection molding and blow molding) once they have been fine-tuned and have successfully passed various tests and inspections. We have also introduced numerous special features into our production process. These allow us to work with higher process reliability in order to achieve higher product quality, while ensuring economical production.



STORAGE AND SHIPPING

Our warehouses, which are designed for maximum capacity, and our experienced employees ensure that our products are well packed and reach you as soon as possible. Which in turn enables you to quickly deliver well-packaged products to your own customers.

Because we have all the essential

our customers a consistently high

product and process quality.


process steps in our own hands, we have full control. This high vertical range of manufacture guarantees








Where is our packaging in use?





Medical device

GREAT THINGS DESERVE EXCELLENT PACKAGING

Whether you need packaging for a delicate implant or surgical and medical instruments – rose plastic medical packaging can supply both primary and secondary packaging for a huge range of medical devices.



Dental

NO DRILL IS TOO SMALL FOR OUR PACKAGING

Whether you need packaging for dentistry supplies or dental technology, dental surgery or implantology products, all our packaging has one thing in common – it always meets the highest safety and quality standards. And the possible applications are incredibly diverse: Dental instruments, inlays, crowns, handpieces and contra-angle handpieces, drills and files – our well-thought-out packaging provides a safe home for almost everything.



Healthcare

THE PERFECT PACKAGING FOR YOUR HEALTHCARE PRODUCT

Even the best healthcare productstands or falls by the right packaging.. Here you will find a variety of packaging solutions that not only protect your product perfectly, but also present it in an appealing way.



Laboratories and diagnostics

NEATLY STOWED AND ALWAYS READY TO HAND

We help you keep order in the lab and workplace. We supply intelligent packaging solutions for the lab and diagnosis. Our range also includes the AQURADO® modular storage system.







Precise. Clean. Reliable.

In order to deliver the quality you need, we manufacture our products in state-of-the-art cleanrooms. We also ensure consistently high standards via our certified quality management system in accordance with EN ISO 13485.

Protective and transport packaging for sterile and non-sterile applications

To ensure we can supply clean packaging systems for your products, we manufacture within a strictly controlled environment that complies with cleanroom classification ISO Class 9 (EN ISO 14644-1) and ISO Class 8. In addition, our comprehensive standard product range is manufactured within the framework of EN ISO 9001.

Our cleanrooms are located at our headquarters in Hergensweiler (Germany) and in California (Pennsylvania, USA). We also offer production in a clean environment at our location in Sorocaba (Brazil). Naturally, we use medical grade materials to meet our customers' exacting demands.

These include, in particular, common materials such as PETG, PE, PP and TPE.

We deliver certified quality – guaranteed!

At our location in Hergensweiler (Germany), rose plastic medical packaging is certified in accordance with the following international standards:











innovations in Dlastic Dack aging

Protective Cover





ipCover	14
IniCover	16

Tubes

Block Pack	18
BlockPack TabletPunch	20
Dentalimplant Pack	22
「wist Pack	24
FixIn Tube ®	26
ScrewPack	28
MicroPack XPress	30
PedicleScrew Pack	32
Plug Pack	34
Quadro Pack	36
Quadro Pack TipLine	38
Rectangular Pack	40

Rectangular Pack TipLine43 **Tele**Pack......44

TipTube46 TopPack XPress48

TwistPack Plus54

TubeInTube®.....

Consumer Box	56
SplitPack	58
TapePack	61
UniDov	62

Cases



Rose Case Ergo Line	64
RoseCase ProTec	66

Accessory



AQURADO ®)	68
------------------	---	----








Optimum protection for delicate tips and edges

0 0

- ideal for the protection of tips and edges of surgical instruments
- for sterile and non-sterile applications
- secure loading and removal
- enhanced tip-protection
- security and protection for your product
- easy handling
- safe transportation
- flexibly adjusts to the product geometry
- 6 sizes availble for various diameter ranges



Product Range

Article	Outer dimensions W x H x D	Suitable for	PU
TCV0 0.5x28/1	10x28x5mm	0,5 - 2,5mm	1000
TCV1 2.5x28/1	9,3x28,3x4,8mm	2,5 - 4,0mm	1000
TCV2 4x28/1	12,5x28,4x7,5mm	4,0 - 7,0mm	1000
TCV3 7x28/1	17,0x28,5x12mm	7,0 - 10,5mm	1000
TCV4 10.5x28/1	23,3x28,7x16mm	10,5 - 14,5mm	500
TCV5 14.5x36/1	29,6x35,8x22mm	14,5 - 18,0mm	250



MATERIAL

- TPE

PRODUCTION ENVIRONMENT

cleanroom production

STANDARD COLOR





"It is the small things in life which count."

Charles Comiskey





UniCover

Flexible protective cover for different applications

- abrasion and puncture resistant
- great protection of the device surface
- suitable to gamma, ethylene oxide and eBeam sterilization
- protects sharp and sensitive medical instruments, implants, screws etc.
- UniCover is made of TPU (thermoplastic polyurethane). This material is characterized by excellent abrasion resistance and is suitable for various sterilization processes.
- intuitive handling thanks to "one-handed removal" feature also helps healthcare professionals save time when using it


UniCover sets new standards in terms


user-friendliness.

of safety and

16

- When closed, the packaged product is held inside the packaging by the closure studs. By applying lateral pressure in the area around these studs, the packaging is compressed, allowing the product to be







The proof of the suitability of the packaging in combination with the medical device to be packed must be provided by the manufacturer.

MATERIAL

- Thermoplastic polyurethane (TPU)

LENGTH



WIDTH



PRODUCTION ENVIRONMENT

cleanroom production

STANDARD COLOR



Product Range

Article	Width (mm)	Length (mm)	Depth (mm)	Internal geometry
UCV 26x40x8/1	26	40	8	4 closure studs
UCV 26x40x8/2	26	40	8	-
UCV 26x98x8/1	26	98	8	4 closure studs
UCV 26x98x8/2	26	98	8	-
UCV 45x134x10/1	45	134	11	4 closure studs
UCV 45x134x10/2	45	134	11	-
UCV 45x204x10/1	45	204	11	4 closure studs
UCV 45x204x10/2	45	204	11	-

All dimensions are external dimensions.



Block Pack

Square telescopic packaging tubes with twist lock closure feature and ratchet length adjustment

- highly secure bayonet-type twist lock closure, requires minimal force in opening and closing the pack
- contoured tube ends and lateral support grooves are integrated together to provide a cushioning effect
- with ratchet length adjustment
- ergonomic product design offer shape stability
- speedy handling
- safe transportation
- excellent for stacking and storage
- durable and reusable

18

 can be used as primary or secondary packaging









The proof of the suitability of the packaging in combination with the medical device to be packed must

PACKAGING

Outer parts and inner parts are packed separately



MATERIAL

- Polyethylene (PE)



COLOR

- PE natural

USABLE LENGTHS



Ø DIAMETER



PRODUCTION ENVIRONMENT

- various sizes available in cleanroom production

STANDARD COLOR



Product Range

Article	Ø	Usable length	PU	Article	Ø	Usable length	PU
BK 8 050	8mm	50 - 80mm	3000	BK 32 060	32mm	60 - 80mm	800
BK 8 080	8mm	80 - 120mm	3000	BK 32 080	32mm	80 - 120mm	600
BK 8 120	8mm	120 - 200mm	1500	BK 32 120	32mm	120 - 200mm	400
BK 8 200	8mm	200 - 350mm	2000	BK 32 200	32mm	200 - 350mm	360
BK 10 050	10mm	50 - 80mm	2100	BK 32 350	32mm	350 - 620mm	140
BK 10 080	10mm	80 - 120mm	2000	BK 35 050	35mm	50 - 70mm	900
BK 10 120	10mm	120 - 200mm	1170	BK 35 060	35mm	60 - 80mm	700
BK 10 200	10mm	200 - 350mm	1100	BK 35 080	35mm	80 - 120mm	500
BK 12 050	12mm	50 - 80mm	2200	BK 35 120	35mm	120 - 200mm	300
BK 12 080	12mm	80 - 120mm	1550	BK 35 200	35mm	200 - 350mm	300
BK 12 120	12mm	120 - 200mm	800	BK 35 350	35mm	350 - 620mm	159
BK 12 200	12mm	200 - 350mm	800	BK 40 080	40mm	80 - 120mm	450
BK 12 250	12mm	250 - 460mm	700	BK 40 120	40mm	120 - 200mm	300
BK 14 050	14mm	50 - 80mm	1700	BK 40 200	40mm	200 - 350mm	240
BK 14 080	14mm	80 - 120mm	1100	BK 40 350	40mm	350 - 620mm	120
BK 14 120	14mm	120 - 200mm	800	BK 45 060	45mm	60 - 80mm	450
BK 14 200	14mm	200 - 350mm	600	BK 45 080	45mm	80 - 120mm	350
BK 16 050	16mm	50 - 80mm	1600	BK 45 120	45mm	120 - 200mm	275
BK 16 080	16mm	80 - 120mm	850	BK 45 200	45mm	200 - 350mm	160
BK 16 120	16mm	120 - 200mm	1200	BK 45 350	45mm	350 - 620mm	90
BK 16 200	16mm	200 - 350mm	1200	BK 55 060	55mm	60 - 80mm	250
BK 18 050	18mm	50 - 80mm	1300	BK 55 080	55mm	80 - 120mm	200
BK 18 080	18mm	80 - 120mm	850	BK 55 120	55mm	120 - 200mm	200
BK 18 120	18mm	120 - 200mm	1050	BK 55 200	55mm	200 - 350mm	100
BK 18 200	18mm	200 - 350mm	400	BK 55 350	55mm	350 - 620mm	70
BK 20 050	20mm	50 - 80mm	1200	BK 65 080	65mm	80 - 120mm	210
BK 20 080	20mm	80 - 120mm	1300	BK 65 120	65mm	120 - 200mm	120
BK 20 120	20mm	120 - 200mm	900	BK 65 200	65mm	200 - 350mm	90
BK 20 200	20mm	200 - 350mm	800	BK 65 350	65mm	350 - 620mm	48
BK 20 350	20mm	350 - 620mm	500	BK 75 080	75mm	80 - 120mm	168
BK 22 050	22mm	50 - 80mm	1000	BK 75 120	75mm	120 - 200mm	96
BK 22 080	22mm	80 - 120mm	1200	BK 75 200	75mm	200 - 350mm	58
BK 22 120	22mm	120 - 200mm	800	BK 85 080	85mm	80 - 120mm	90
BK 22 200	22mm	200 - 350mm	600	BK 85 120	85mm	120 - 200mm	72
BK 24 050	24mm	50 - 80mm	750	BK 85 200	85mm	200 - 350mm	48
BK 24 080	24mm	80 - 120mm	1000	BK 85 350	85mm	350 - 620mm	30
BK 24 120	24mm	120 - 200mm	700	BK 85 550	85mm	550 - 1000mm	20
BK 24 200	24mm	200 - 350mm	550	BK 95 080	95mm	80 - 120mm	80
BK 26 050	26mm	50 - 60mm	700	BK 95 120	95mm	120 - 200mm	60
BK 26 060	26mm	60 - 80mm	700	BK 95 200	95mm	200 - 350mm	30
BK 26 080	26mm	80 - 120mm	850	BK 95 350	95mm	350 - 620mm	20
BK 26 120	26mm	120 - 200mm	600	BK 105 080	105mm	80 - 120mm	80
BK 26 200	26mm	200 - 350mm	450	BK 105 120	105mm	120 - 200mm	48
BK 26 350	26mm	350 - 620mm	288	BK 105 200	105mm	200 - 350mm	30
BK 32 050	32mm	50 - 70mm	1200	BK 105 350	105mm	350 - 620mm	20

Awards






Block Pack Tablet Punch

Packaging solution for tableting punches with twist lock closure feature

- the sensitive tip of the tableting punch is suspended for optimum protection
- highly secure bayonet-type twist lock closure, requires minimal force in opening and closing the pack
- contoured tube ends and lateral grooves provide protection for the punch
- ergonomic product design offers shape stability
- easy handling

20

- excellent for stacking and storage
- durable and re-usable
- two sizes accommodate the most common tableting tool designs
- please note that rose plastic BlockPack







The proof of the suitability of the packaging in combination with the medical device to be packed must

PACKAGING

Outer parts and inner parts are packed separately



MATERIAL

Polyvinylchloride (PVC)



COLOR

PVC clear

USABLE LENGTHS



Ø DIAMETER



PRODUCTION ENVIRONMENT

- Industrial standard


STANDARD COLOR




Product Range


Article	Inner diam.	Shank diam.	Usable length fix	PU
BKT 26 140 A+I	26mm	19.5mm	140mm	600
BKT 32 140 A+I	32mm	26mm	140mm	400

A = outer part; I = inner part



Usable length 140 mm





DentalImplantPack



Primary packaging for dental implants

- high quality single packaging for the protection of dental implants with and without implant mount
- the implant is clearly visible in the highly transparent packaging
- the implant holder fixes the implant and the cover screw firmly in the packaging
- simple handling adapted to the operation process
- easy and quick removal of the implant during the operation by the dentist
- by turning the cover on the implant holder, the implant lays free and can be directly picked up for insertion
- suitable for dental implants with Ø 2.8 -6.5 mm and lengths up to 22 mm
- matching titanium inserts or the clamping on the implant mount prevent contact between plastic and implant

Easy handling, safe removal and flexible implant holding:

the DentalImplantPack

fully convinces.

plants can be covered via a titanium ring, the titanium length stop can be flexibly adjusted to the implant the rollaway protection integrated

- the different diameters of the im-

- in the closure provides additional safety in the sterile operating area
- sterile barrier system possible with additional blister with Tyvek® or sterilization pouch





The proof of the suitability of the packaging in combination with the medical device to be packed must



PACKAGING

Outer parts and inner parts are packed separately



MATERIAL

- Tube: PETG
- Closure: Polyethylene (PE)/TPE
- Implant holder: Polyethylene (PE)
- Cover: PETG



COLOR

- Tube: PETG clear
- Closure: PE/TPE natural

USABLE LENGTHS



Ø DIAMETER



PRODUCTION ENVIRONMENT

Cleanroom production

STANDARD COLOR



Product Range

Article	Implant Ø max.	Implant length max.	Suitable for implants	Cover screw holding	Implant holding
DIP 16/1	6.5mm	22mm	without implant mount	universal (adaptable)	Titanium ring and plate / titanium tube (not included)
DIP 16/2	6.5mm	18mm	with implant mount	universal (adaptable)	Clamping at implant mount (adaptable)



Usable length

80 - 120mm

120 - 200mm

200 - 350mm

350 - 620mm

50 - 60mm

60 - 80mm

80 - 120mm

120 - 200mm

200 - 350mm

250 - 400mm

350 - 620mm

50 - 60mm

60 - 80mm

80 - 120mm

120 - 200mm

200 - 350mm

350 - 620mm

50 - 60mm

60 - 80mm

80 - 120mm

120 - 200mm

200 - 350mm

350 - 620mm

50 - 60mm

60 - 80mm

80 - 120mm

120 - 200mm

200 - 350mm

350 - 620mm

50 - 60mm

60 - 80mm

80 - 120mm

120 - 200mm

200 - 350mm

350 - 620mm

60 - 80mm

80 - 100mm

120 - 180mm

200 - 350mm

350 - 550mm

550 - 1000mm

80 - 100mm

120 - 180mm

200 - 350mm

Inner

35mm

35mm

35mm

35mm

40mm

40mm

40mm

40mm

40mm

40mm

45mm

45mm

45mm

45mm

45mm

50mm

50mm

50mm

50mm

55mm

55mm

55mm

55mm

55mm

65mm

65mm

65mm

65mm

85mm

85mm

105mm

105mm

105mm

Article

DP 35 080

DP 35 120

DP 35 200

DP 35 350

DP 40 050

DP 40 060

DP 40 080

DP 40 120

DP 40 200

DP 40 250

DP 40 350

DP 45 050

DP 45 060

DP 45 080

DP 45 120

DP 45 200

DP 45 350

DP 50 050

DP 50 060

DP 50 080

DP 50 120

DP 50 200

DP 50 350

DP 55 050

DP 55 060

DP 55 080

DP 55 120

DP 55 200

DP 55 350

DP 65 050

DP 65 060

DP 65 080

DP 65 120

DP 65 200

DP 65 350

DP 80 060

DP 80 080

DP 80 120

DP 80 200

DP 80 350

DP 80 550

DP 105 080

DP 105 120

DP 105 200

600

400

310

180

350

350

500

300

210

150

350

600

400

250

200

115

500

330

220

150

500

400

300

190

135

70

350

300

220 150

96

46

72

50

52

Twist Pack

Round telescopic protective packaging tubes with twist lock mechanism and roll-away protection

- twist lock mechanism holds contents securely in place
- infinitely variable telescopic length adjustment
- hexagon tube bottom prevents rolling
- security and protection for your product
- speedy efficient packaging
- speedy handling
- safe transportation
- durable and reusable
- can be used as primary or secondary packaging

As one of the world's

tubes, the TwistPack

features and almost

limitless applications

best-selling packaging

excels thanks to practical









PACKAGING

Outer parts and inner parts are packed separately; DP 65 350, DP 80 and DP 105 outer parts and in**Product Range**

Inner

10mm

10mm

10mm

13mm

13mm

13mm

13mm

16mm

16mm

16mm

16mm

16mm

16mm

20mm

20mm

20mm

20mm

22mm

22mm

22mm

22mm

22mm

22mm

24mm

24mm

24mm

24mm

26mm

26mm

26mm

26mm

26mm

26mm

26mm

28mm

28mm

28mm

28mm

30mm

30mm

30mm

30mm

30mm

35mm

35mm

50 - 70mm

80 - 120mm

120 - 200mm

50 - 70mm

80 - 120mm

120 - 200mm

200 - 350mm

50 - 70mm

80 - 120mm

120 - 200mm

200 - 350mm

350 - 620mm

410 - 770mm

50 - 70mm

80 - 120mm

120 - 200mm

200 - 350mm

50 - 60mm

80 - 120mm

120 - 200mm

200 - 350mm

350 - 620mm

50 - 60mm

80 - 120mm

120 - 200mm

200 - 350mm

50 - 60mm

80 - 120mm

120 - 200mm

200 - 350mm

250 - 400mm

350 - 620mm

410 - 770mm

50 - 60mm

80 - 120mm

120 - 200mm

200 - 350mm

50 - 60mm

80 - 120mm

200 - 350mm

350 - 620mm

410 - 770mm

50 - 60mm

60 - 80mm

2100

2000

2100

2200

1300

1600

1500

1700

1000

1200

1000

600

500

1500

1700

1000

900

1100

1400

850

700

390

300

900

1100

750

600

800

1000

600

450

420

280

240

800

950

600

450

700

800

500

400

230

200

500

900

Article

DP 10 050

DP 10 080

DP 10 120

DP 13 050

DP 13 080

DP 13 120

DP 13 200

DP 16 050

DP 16 080

DP 16 120

DP 16 200

DP 16 350

DP 16 410

DP 20 050

DP 20 080

DP 20 120

DP 20 200

DP 22 050

DP 22 080

DP 22 120

DP 22 200

DP 22 350

DP 22 410

DP 24 050

DP 24 080

DP 24 120

DP 24 200

DP 26 050

DP 26 080

DP 26 120

DP 26 200

DP 26 250

DP 26 350

DP 26 410

DP 28 050

DP 28 080

DP 28 120

DP 28 200

DP 30 050

DP 30 080

DP 30 120

DP 30 200

DP 30 350

DP 30 410

DP 35 050

DP 35 060



MATERIAL

- Polypropylen (PP)





Ø DIAMETER

PRODUCTION ENVIRONMENT

 various sizes available in cleanroom production

STANDARD COLOR



ner parts are packed assembled



COLOR


PP transparent

USABLE LENGTHS









Fix InTube[®]


Primary packaging for headed implant screws

- high quality individual packaging for implants offering excellent protection
- the special inner shape of the tube and the TPE/PE closure fix the implant firmly in the packaging
- contactless and safe removal of the implant screw using an attaching tool or surgical driver
- optimum security and protection for product and users
- high clarity packaging for perfect product visibility
- sterile barrier system possible by additional blister with Tyvek® or Pouch









The proof of the suitability of the packaging in combination with the medical device to be packed must be provided by the manufacturer.

PACKAGING

Outer parts and inner parts are packed separately



MATERIAL

- Tube: PETG
- Closure: combination of Polyethylene (PE) and TPE



COLOR

- Tube: PETG clear
- Closure: PE/TPE natural

USABLE LENGTHS



Ø DIAMETER



PRODUCTION ENVIRONMENT

- Cleanroom production

STANDARD COLOR



Product Range

Article	Screw thread Ø	Screw length max.	Diameter	Overall length
FT 10 040-2.0/1	2mm	40mm	10mm	77mm
FT 10 040-2.5/1	2.5mm	40mm	10mm	77mm
FT 10 040-3.0/1	3mm	40mm	10mm	77mm
FT 10 040-3.5/1	3.5mm	40mm	10mm	77mm
FT 10 040-6.0/1	6mm	40mm	10mm	77mm
FT 10 080-4.0/1	4mm	80mm	10mm	117mm
FT 10 080-5.0/1	5mm	80mm	10mm	117mm
FT 10 080-6.0/1	6mm	80mm	10mm	117mm
FT 10 160-7.0/1	7mm	160mm	10mm	197mm
FT 10 160-8.0/1	8mm	160mm	10mm	197mm

Screw Pack

with secure screw closure

Round protective packaging tubes

- length is produced to customer requirements
- universal use for products of different dimensions
- secure screw closure
- thread is positioned to customer requirements
- security and protection for your product
- speedy efficient packaging
- speedy handling
- safe transportation
- durable and reusable
- can be used as primary or secondary packaging



Are you looking for a solid, economical, and versatile packaging tube? You've just found it ...







The proof of the suitability of the packaging in combination with the medical device to be packed must

PACKAGING

Outer parts and inner parts are packed separately



MATERIAL

Polypropylene (PP)



COLOR

PP transparent

USABLE LENGTHS



Ø DIAMETER



PRODUCTION ENVIRONMENT


 various sizes available in cleanroom production

STANDARD COLOR




Product Range

Article	Inner diam.	Length outer part min max.	Length inner part min max.	Total usable length
GP 25	28mm	25-407mm	5-387mm	794mm
GP 35	37mm	25-407mm	5-387mm	794mm
GP 40	41mm	35-390mm	5-360mm	750mm
GP 45	46mm	35-715mm	5-685mm	1400mm
GP 55	56mm	35-575mm	5-545mm	1020mm
GP 65	66mm	45-520mm	5-480mm	1000mm
GP 75	76mm	55-525mm	5-480mm	1005mm
GP 80	79mm	55-540mm	5-490mm	1030mm
GP 85	85mm	55mm	35mm	90mm
GP 90	91mm	55-485mm	5-436mm	921mm
GP 100	98mm	55-540mm	5-490mm	1030mm
GP 105	107mm	55-540mm	5-490mm	1030mm
GP 125	125mm	70-585mm	10-525mm	1110mm
GP 160	160mm	110-575mm	30-495mm	1070mm



Micro Pack XPress

Primary packaging for micro screws



- high quality individual packaging for micro screws offering excellent protection
- linking feature for the flexible composition of sets
- flexible clamping device ensures a firm hold of several diameters of micro screws from 1.5 mm thread diameter
- XPress base design for simple and secure loading/removal of the product
- safe and easy screw removal by direct pick-up
- optimum security and protection for product and end user
- sterile barrier system possible by additional blister

MicroPackXPress -

presents your product with the value that a

precision medical device deserves. This is ensured by the cap made of clear







The proof of the suitability of the packaging in combination with the medical device to be packed must be provided by the manufacturer.



PACKAGING

Base plugs and outer parts are packed separately



MATERIAL

- Outer part: PETG
- Base plugs: Polyethylene (PE)



- Outer part in PETG clear
- Base plug in PE natural

USABLE LENGTHS



SHANK DIAM.



PRODUCTION ENVIRONMENT

- Cleanroom production

STANDARD COLOR




Product Range

Article	Suitable for diam.	Usable length fixed
MPXP 8x18-1.5/1	1.5mm	26mm
MPXP 8x18-2/1	1.6 - 2.0mm	26mm
MPXP 8x18-2.35/1	2.1 - 2.35mm	26mm
MPXP 8x18-3/1	2.4 - 3.0mm	26mm



Base plug

PETG.



PedicleScrewPack

Custom made primary packaging for pedicle screws

- high quality and stable single use package for polyaxial and monoaxial pedicle screws
- developed in cooperation with medical technology companies and clinical specialists
- optimum security and protection for product and end user
- packaging tube for safe removal of the screw using the attaching tool
- fixing of the pedicle screw by product-specific clamping inside the tube
- speedy efficient packaging
- speedy handling
- safe transportation

The proof of the suitability of the packaging in combination with the medical device to be packed must be provided by the manufacturer.



Article	Description	Usable length	PU
PSP 60-3.2/1 C	short tube with individual clamping	60mm	upon request
PSP 110-3.2/1 C	long tube with individual clamping	110mm	upon request
PSP 27x21/1 B	cap	-	2000



PACKAGING

Tube and cap are packed separately



MATERIAL


- PETG

PRODUCTION ENVIRONMENT

- cleanroom production

STANDARD COLOR





Plug Pack

Round packaging tubes with end plug

- stable packaging tube with plug closure
- universal use for products of different dimensions
- square-shaped plug prevents rolling
- security and protection for your product
- speedy efficient packaging
- speedy handling
- safe transportation
- can be used as primary or secondary packaging





The proof of the suitability of the packaging in combination with the medical device to be packed must be provided by the manufacturer.



PACKAGING

Tubes and plugs are packed separately



MATERIAL

- Tube: Polypropylene (PP)
- Plug: Polyethylene (PE)

USABLE LENGTHS



Ø DIAMETER



8 - 35 mm

PRODUCTION ENVIRONMENT

various sizes available in cleanroom production

STANDARD COLOR



Product Range

Article	Inner diam.	Usable length	PU
TP 7 050 A + P 8	8mm	50mm	3200
TP 7 075 A + P 8	8mm	75mm	3200
TP 9 040 A + P 9	10mm	35mm	2000
TP 9 065 A + P 9	10mm	65mm	2000
TP 12 040 A + P 12	14mm	40mm	3000
TP 12 045 A + P 12	14mm	45mm	3000
TP 12 050 A + P 12	14mm	50mm	2900
TP 12 060 A + P 12	14mm	60mm	2200
TP 12 070 A + P 12	14mm	70mm	2200
TP 12 080 A + P 12	14mm	80mm	3500
TP 12 120 A + P 12	14mm	120mm	2000
TP 12 200 A + P 12	14mm	200mm	2100
TP 12 240 A + P 12	14mm	240mm	1600
TP 14 035 A + P 14	16mm	35mm	2200
TP 14 050 A + P 14	16mm	50mm	2200
TP 14 060 A + P 14	16mm	60mm	1800
TP 14 080 A + P 14	16mm	80mm	2800
TP 14 120 A + P 14	16mm	120mm	1600
TP 14 150 A + P 14	16mm	150mm	1200
TP 14 200 A + P 14	16mm	200mm	1500
TP 16 035 A + P 16	18mm	35mm	2400
TP 16 050 A + P 16	18mm	50mm	1700
TP 16 080 A + P 16	18mm	80mm	2000
TP 16 090 A + P 16	18mm	90mm	1800
TP 16 120 A + P 16	18mm	120mm	1200
TP 16 200 A + P 16	18mm	200mm	1200
TP 16 250 A + P 16	18mm	250mm	900
TP 18 050 A + P 18	20mm	50mm	1500
TP 18 080 A + P 18	20mm	80mm	1700
TP 18 120 A + P 18	20mm	120mm	1100
TP 18 200 A + P 18	20mm	200mm	1000
TP 18 250 A + P 18	20mm	250mm	800
TP 20 050 A + P 20	22mm	50mm	1200
TP 20 060 A + P 20	22mm	60mm	2000
TP 20 070 A + P 20	22mm	70mm	2000
TP 20 080 A + P 20	22mm	80mm	1500
TP 20 120 A + P 20	22mm	120mm	1000

Article	Inner diam.	Usable length	PU
TP 20 200 A + P 20	22mm	200mm	900
TP 20 220 A + P 20	22mm	220mm	780
TP 22 050 A + P-P 22	24mm	50mm	100
TP 22 080 A + P-P 22	24mm	80mm	130
TP 22 120 A + P-P 22	24mm	120mm	800
TP 22 200 A + P-P 22	24mm	200mm	750
TP 24 035 A + P-P 24	26mm	35mm	140
TP 24 050 A + P-P 24	26mm	50mm	190
TP 24 080 A + P-P 24	26mm	80mm	120
TP 24 120 A + P-P 24	26mm	120mm	800
TP 24 200 A + P-P 24	26mm	200mm	650
TP 26 050 A + P-P 26	28mm	50mm	170
TP 26 080 A + P-P 26	28mm	80mm	850
TP 26 120 A + P-P 26	28mm	120mm	550
TP 26 200 A + P-P 26	28mm	200mm	500
TP 26 330 A + P-P 26	28mm	330mm	320
TP 28 050 A + P 28	30mm	50mm	140
TP 28 060 A + P 28	30mm	60mm	100
TP 28 080 A + P 28	30mm	80mm	800
TP 28 120 A + P 28	30mm	120mm	500
TP 28 200 A + P 28	30mm	200mm	450
TP 30 050 A + P-P 30	33mm	50mm	120
TP 30 080 A + P-P 30	33mm	80mm	650
TP 30 120 A + P-P 30	33mm	120mm	400
TP 30 150 A + P-P 30	33mm	150mm	350
TP 30 190 A + P-P 30	33mm	190mm	430
TP 30 200 A + P-P 30	33mm	200mm	400
TP 30 270 A + P-P 30	33mm	270mm	300
TP 32 050 A + P-P 32	35mm	50mm	100
TP 32 080 A + P-P 32	35mm	80mm	650
TP 32 120 A + P-P 32	35mm	120mm	400
TP 32 200 A + P-P 32	35mm	200mm	350



Oh so simple, oh so practical: universal packaging tube with the world's simplest closure (probably)

Quadro Pack

Square telescopic packaging tubes with ratchet mechanism

- infinitely variable telescopic length
- universal use for products of different dimensions
- security and protection for your product
- speedy efficient packaging
- speedy handling
- safe transportation
- excellent for stacking and storage

Square, practical, easily

It's no accident that our cuboid multi-talent is among the world's bestselling packaging tubes


length adjustment.

closable – thanks to ratchet

 can be used as primary or secondary packaging









PACKAGING

Outer parts and inner parts are packed separately



MATERIAL

Polypropylene (PP)



COLOR

- PP transparent

USABLE LENGTHS



Ø DIAMETER



PRODUCTION ENVIRONMENT

- various sizes available in cleanroom production

STANDARD COLOR



Product Range

Article Inner Usable length PU Article Inner Usable length diam. Usable length	PU
QP 8 050 8mm 50 - 80mm 2700 QP 26 050 26mm 50 - 60mm	1400
QP 8 080 8mm 80 - 120mm 1700 QP 26 060 26mm 60 - 80mm	1400
QP 8 120 8mm 120 - 200mm 2000 QP 26 080 26mm 80 - 120mm	1000
QP 8 200 8mm 200 - 350mm 2000 QP 26 100 26mm 100 - 160mm	800
QP 10 050 10mm 50 - 80mm 2100 QP 26 120 26mm 120 - 200mm	600
QP 10 080 10mm 80 - 120mm 2600 QP 26 200 26mm 200 - 350mm	600
QP 10 120 10mm 120 - 200mm 1400 QP 26 350 26mm 350 - 620mm	340
QP 10 200 10mm 200 - 350mm 1550 QP 32 050 32mm 50 - 70mm	1400
QP 10 250 10mm 250 - 460mm 1200 QP 32 060 32mm 60 - 80mm	1000
QP 10 300 10mm 300 - 535mm 500 QP 32 080 32mm 80 - 120mm	700
QP 12 050 12mm 50 - 80mm 3000 QP 32 120 32mm 120 - 200mm	450
QP 12 070 12mm 70 - 110mm 2000 QP 32 200 32mm 200 - 350mm	420
QP 12 080 12mm 80 - 120mm 1800 QP 32 350 32mm 350 - 620mm	208
QP 12 120 12mm 120 - 200mm 1000 QP 34 100 34mm 100 - 160mm	450
QP 12 200 12mm 200 - 350mm 1000 QP 35 050 35mm 50 - 70mm	1000
QP 12 250 12mm 250 - 460mm 850 QP 35 060 35mm 60 - 80mm	750
QP 14 050	600
QP 14 060 14mm 60 - 85mm 2000 QP 35 120 35mm 120 - 200mm	350
QP 14 065	320
QP 14 080	210
QP 14 120 14mm 120 - 200mm 800 QP 35 350 35mm 350 - 620mm	168
QP 14 200 14mm 200 - 350mm 800 QP 45 060 45mm 60 - 80mm	450
QP 14 300	300
QP 16 050	335
QP 16 080	180
QP 16 120 16mm 120 - 200mm 1400 QP 45 350 45mm 350 - 620mm	99
QP 16 200 16mm 200 - 350mm 1400 QP 45 700 45mm 700 - 1300mm	99
QP 18 050 18mm 50 - 80mm 1500 QP 55 060 55mm 60 - 80mm	300
QP 18 080 18mm 80 - 120mm 1800 QP 55 080 55mm 80 - 120mm	288
QP 18 120 18mm 120 - 200mm 1100 QP 55 120 55mm 120 - 200mm	200
QP 18 200 18mm 200 - 350mm 1100 QP 55 200 55mm 200 - 350mm	120
QP 20 050	72
QP 20 080	210
QP 20 120	155
QP 20 200 20mm 200 - 350mm 900 QP 65 200 65mm 200 - 350mm	92
QP 20 350	65
QP 22 050	56
QP 22 075	160
QP 22 080	105
QP 22 120 22mm 120 - 200mm 850 QP-G78150 78mm 150 - 250mm	80
QP 22 200	56
QP 24 050	42
QP 24 080	90
QP 24 120	75
QP 24 200	48
QP 93 280 93mm 280 - 450mm	30

QP-G 78 150 with recessed bottom

Quadro Pack TipLine

Protective packaging tubes for surgical instruments and applications

- square protective packaging tube with tapered ends
- optimum protection for long surgical instruments and various other applications
- tapered ends reduce the risk of the content breaking through
- universal use for products of different dimensions
- security and protection for your product
- speedy and efficient packing of products
- safe transportation
- excellent for stacking and storage
- can be used as primary or secondary packaging

All the advantages of our QuadroPack – plus optimized protection for long surgical instruments and other applications







The proof of the suitability of the packaging in combination with the medical device to be packed must

PACKAGING

Outer parts and inner parts are packed separately



MATERIAL

PETG



COLOR

PETG

USABLE LENGTHS



Ø DIAMETER



PRODUCTION ENVIRONMENT

cleanroom production

STANDARD COLOR



Product Range

Article Ø Usable length	PU
QPTL 10 050 A + 10 080 I 10mm 102-132mm	2000
QPTL 10 050 A + 10 120 I 10mm 142-172mm	2000
QPTL 10 050 A + 10 200 I 10mm 222-252mm	2000
QPTL 10 050 A + 10 250 I 10mm 272-302mm	2000
QPTL 10 050 A + 10 300 I 10mm 322-352mm	2000
QPTL 10 200 A + 10 080 I 10mm 302mm	1000
QPTL 10 200 A + 10 120 I 10mm 342mm	1000
QPTL 10 200 A + 10 200 I 10mm 422mm	1000
QPTL 10 200 A + 10 250 I 10mm 472mm	1000
QPTL 10 200 A + 10 300 I 10mm 522mm	1000
QPTL 26 050 A + 26 120 I 26mm 161-185mm	1000
QPTL 26 050 A + 26 200 I 26mm 241-265mm	1000
QPTL 26 050 A + 26 350 I 26mm 391-415mm	1000
QPTL 26 050 A + 26 500 I 26mm 541-565mm	1000

The usable length describes the maximum internal length of the packaging.



Usable length 102-565 mm

550

400

360 700

700

400

320

200

700 650

520

350

385 300

180

160

100

800

165

80

110

450

350

320

200

150

120 70 132

PACKAGING

Outer parts and inner parts are packed separately



MATERIAL


- Polypropylene (PP)



- PE natural
- PP transparent

USABLE LENGTHS





18 - 100 mm

- various sizes available in cleanroom production



Rectangular Pack

Rectangular telescopic packaging tubes

infinitely variable telescopic length

with ratchet mechanism

- universal use for products of different dimensions
- security and protection for your product
- speedy efficient packaging
- speedy handling
- safe transportation
- excellent for stacking and storage
- can be used as primary or secondary packaging










- Polyethylene (PE)



COLOR



DIMENSION



PRODUCTION ENVIRONMENT

STANDARD COLOR



Product Range

RP 18x42/335

18mm 42mm 335-580mm 280 18mm 42mm 620-1100mm 180

Article	Inner depth	Inner width	Usable length adjustable	PU	Article	Inner depth	Inner width	Usable length adjustable
RP 6x20/050	6mm	20mm	50-80mm	2000	RP 19x26/245	19mm	26mm	245-430mm
RP 6x20/080	6mm	20mm	80-120mm	1000	RP 19x31/270	19mm	31mm	270-470mm
RP 6x20/120	6mm	20mm	120-200mm	1000	RP 19x31/295	19mm	31mm	295-520mm
RP 6x20/200	6mm	20mm	200-360mm	1000	RP 25x33/080	25mm	33mm	80-120mm
RP 8x36/050	8mm	36mm	50-80mm	1600	RP 26x31/270	26mm	31mm	270-470mm
RP 8x36/080	8mm	36mm	80-120mm	1000	RP 26x42/060	26mm	42mm	60-80mm
RP 8x36/138	8mm	36mm	138-240mm	450	RP 26x42/080	26mm	42mm	80-120mm
RP 8x36/240	8mm	36mm	240-420mm	480	RP 26x42/120	26mm	42mm	120-200mm
RP 8x36/420	8mm	36mm	420-780mm	190	RP 26x42/220	26mm	42mm	220-380mm
RP 8x36/820	8mm	36mm	820-1100mm	190	RP 26x42/335	26mm	42mm	335-580mm
RP 9x45/080	9mm	45mm	80-120mm	550	RP 29x36/080	29mm	36mm	80-120mm
RP 9x45/120 I	9mm	45mm	120-160mm	750	RP 30x65/055	30mm	65mm	55-70mm
RP 9x45/160 I	9mm	45mm	160-200mm	270	RP 30x65/070	30mm	65mm	70-100mm
RP 10x18/080	10mm	18mm	80-120mm	1200	RP 30x65/100	30mm	65mm	100-150mm
RP 10x18/120	10mm	18mm	120-200mm	1500	RP 30x65/130	30mm	65mm	130-200mm
RP 10x27/070 I	10mm	27mm	70-110mm	850	RP 30x65/160	30mm	65mm	160-260mm
RP 10x27/080	10mm	27mm	80-120mm	850	RP 30x65/250	30mm	65mm	250-450mm
RP 10x33/120	10mm	33mm	120-200mm	500	RP 30x65/300	30mm	65mm	300-550mm
RP 10x33/320	10mm	33mm	320-550mm	240	RP 31x56/445	31mm	56mm	445-780mm
RP 12x26/200	12mm	26mm	200-360mm	480	RP 33x42/050	33mm	42mm	50-80mm
RP 12x36/360	12mm	36mm	360-620mm	330	RP 33x42/335	33mm	42mm	335-580mm
RP 14x36/080	14mm	36mm	80-120mm	650	RP 36x62/445	36mm	62mm	445-780mm
RP 16x36/050	16mm	36mm	50-80mm	700	RP 40x65/310	40mm	65mm	310-310mm
RP 16x36/080	16mm	36mm	80-120mm	600	RP 40x65/540	40mm	65mm	540-540mm
RP 16x36/120	16mm	36mm	120-200mm	350	RP 40x75/055	40mm	75mm	55-70mm
RP 16x36/200	16mm	36mm	200-360mm	350	RP 40x75/070	40mm	75mm	70-100mm
RP 16x36/360 I	16mm	36mm	360-360mm	200	RP 40x75/100	40mm	75mm	100-150mm
RP 16x55/120	16mm	55mm	120-200mm	450	RP 40x75/150	40mm	75mm	150-250mm
RP 16x55/200	16mm	55mm	200-360mm	370	RP 40x75/210	40mm	75mm	210-360mm
RP 18x42/050	18mm	42mm	50-80mm	1000	RP 40x75/250	40mm	75mm	250-450mm
RP 18x42/080	18mm	42mm	80-120mm	850	RP 40x75/400	40mm	75mm	400-700mm
RP 18x42/120	18mm	42mm	120-200mm	450	RP 40x100/150	40mm	100mm	150-250mm
RP 18x42/200	18mm	42mm	200-360mm	408				
RP 18x42/240	18mm	42mm	240-420mm	180				



Not everything is round or square – which is why we created this practical packaging tube for everything that's on the flatter side







Rectangular telescopic packaging tubes with tapered ends

- universal use for long products
- fixed usable length due to length stop
- security and protection for your product
- speedy and efficient packing of products
- safe transportation
- excellent for stacking and storage
- can be used as primary or secondary packaging

Product Range

Inner part (I)	Outer part (A)	Ø	Usable length	PU (I)	PU (A)
RPTL 18x46/450 I	RPTL 18x46/382 A	18x46mm	869mm	upon request	100

The usable length describes the maximum internal length of the packaging.



PACKAGING

Outer parts and inner parts are packed separately



MATERIAL

PRODUCTION ENVIRONMENT

cleanroom production

STANDARD COLOR





Tele Pack

Round telescopic packaging tubes

- telescopic length extension, ratchet mechanism locks package into extended
- square end prevents rolling

- speedy efficient packaging


- can be used as primary or secondary








with ratchet length adjustment





 universal use for products of different dimensions

security and protection for your product

speedy handling

safe transportation

packaging



a sought-after classic in

our product range



PACKAGING

Outer parts and inner parts are packed separately



MATERIAL

Polypropylene (PP)



COLOR

PP transparent

USABLE LENGTH



Ø DIAMETER



PRODUCTION ENVIRONMENT

various sizes available in cleanroom production

STANDARD COLOR



Product Range

Article	Inner diam.	Usable length (adjustable)	PU
TP 7 050	7mm	50 - 90mm	3200
TP 7 075	7mm	75 - 115mm	3200
TP 9 040	9mm	40 - 65mm	2000
TP 9 065	9mm	65 - 110mm	2000
TP 12 050	12mm	50 - 80mm	2900
TP 12 080	12mm	80 - 120mm	3500
TP 12 120	12mm	120 - 200mm	2000
TP 12 200	12mm	200 - 360mm	2100
TP 14 050	14mm	50 - 80mm	2200
TP 14 080	14mm	80 - 120mm	2800
TP 14 120	14mm	120 - 200mm	1600
TP 14 200	14mm	200 - 360mm	1500
TP 16 050	16mm	50 - 80mm	1700
TP 16 080	16mm	80 - 120mm	2000
TP 16 120	16mm	120 - 200mm	1200
TP 16 200	16mm	200 - 360mm	1200
TP 18 050	18mm	50 - 80mm	1500
TP 18 080	18mm	80 - 120mm	1700
TP 18 120	18mm	120 - 200mm	1100
TP 18 200	18mm	200 - 360mm	1000
TP 20 050	20mm	50 - 80mm	1200
TP 20 080	20mm	80 - 120mm	1500
TP 20 120	20mm	120 - 200mm	1000
TP 20 200	20mm	200 - 360mm	900
TP 22 050	22mm	50 - 80mm	1000
TP 22 080	22mm	80 - 120mm	1300
TP 22 120	22mm	120 - 200mm	800
TP 22 200	22mm	200 - 360mm	750
TP 24 050	24mm	50 - 80mm	1900
TP 24 080	24mm	80 - 120mm	1200
TP 24 120	24mm	120 - 200mm	800
TP 24 200	24mm	200 - 360mm	650
TP 26 050	26mm	50 - 80mm	1700
TP 26 080	26mm	80 - 120mm	850
TP 26 120	26mm	120 - 200mm	550
TP 26 200	26mm	200 - 360mm	500
TP 28 050	28mm	50 - 80mm	1400
TP 28 080	28mm	80 - 120mm	800
TP 28 120	28mm	120 - 200mm	500
TP 28 200	28mm	200 - 360mm	450
TP 30 050	30mm	50 - 80mm	1200
TP 30 080	30mm	80 - 120mm	650
TP 30 120	30mm	120 - 200mm	400
TP 30 200	30mm	200 - 360mm	400
TP 32 050	32mm	50 - 80mm	1000
TP 32 080	32mm	80 - 120mm	650
TP 32 120	32mm	120 - 200mm	400
TP 32 200	32mm	200 - 360mm	350

TipTube

Adjustable length package for bone nails with a bayonet locking feature

- high-quality, solid individual packaging for bone nails of various geometries (e.g. femoral, humeral, tibial)
- optimum security and protection for product and user
- secure positioning of bone nail
- minimal contact of packaging and bone nail
- easy handling due to bayonet lock
- secure handover of the packaged product
- can be used as primary or secondary packaging

This length-adjustable bone nail packaging provides optimum

security and protection

for product and user







The proof of the suitability of the packaging in combination with the medical device to be packed must

PACKAGING

Outer parts and inner parts are packed separately



MATERIAL

PETG

USABLE LENGTHS



Ø DIAMETER



PRODUCTION ENVIRONMENT

- cleanroom production


STANDARD COLOR



Product Range

Article	Inner diam.	Usable length	PU
TI 25 110	25mm	142-202mm	upon request
TI 40 280	40mm	330-550mm	upon request

The usable length describes the maximum internal length of the packaging.



Usable length 142-550 mm

Product Range

PACKAGING


Base plugs and outer parts are packed separately

MATERIAL

- Outer part: Polypropylene (PP)
- Base plugs: Polyethylene (PE)

- Outer part in PP transparent
- Base plug in PE natural

USABLE LENGTHS



SHANK DIAM.



PRODUCTION ENVIRONMENT

 various sizes available in cleanroom production

STANDARD COLOR



Top Pack XPress

Single packaging with short shankholding base

- XPress base design for simple and secure loading/removal of the product
- internal ribbing molded in plug keeps the tool perfectly positioned
- user-friendly function ensures easier and safer handling of sensitive and sharpedged products
- security and protection for your product
- speedy efficient packaging
- speedy handling
- safe transportation

A secure grip

attractive design

with an

can be used as primary packaging




The proof of the suitability of the packaging in combination with the medical device to be packed must

Base plug

Article	Раг стуре	Didili.	diam.	diam. (in.)	illier tengtii	PU
TPKXP 8x18-2/1 I	base plug	8mm	2mm		18mm	1000
TPKXP 8x18-2.35/1 I	base plug	8mm	2.35mm		18mm	1000
TPKXP 8x18-3/1 I	base plug	8mm	3mm		18mm	1000
TPKXP 8x18-1/8"/1 I	base plug	8mm	3.175mm	1/8"	18mm	1000
TPKXP 8x18-4/1 I	base plug	8mm	4mm		18mm	1000
TPKXP 8x18-3/16"/1 I	base plug	8mm	4.762mm	3/16"	18mm	1000
TPKXP 8x18-5/1 I	base plug	8mm	5mm		18mm	1000
TPKXP 8x18-6/1 I	base plug	8mm	6mm		18mm	1000
TPKXP 8x18-1/4"/1 I	base plug	8mm	6.35mm	1/4"	18mm	1000
TPKXP 8x18-7/1 I	base plug	8mm	7mm		18mm	1000
TPKXP 8x18-8/1 I	base plug	8mm	8mm		18mm	1000
TPKXP 13x25-2.35/1 I	base plug	13mm	2.35mm		25mm	1000
TPKXP 13x25-3/1 I	base plug	13mm	3mm		25mm	1000
TPKXP 13x25-4/1 I	base plug	13mm	4mm		25mm	1000
TPKXP 13x25-5/1 I	base plug	13mm	5mm		25mm	1000
TPKXP 13x25-6/1 I	base plug	13mm	6mm		25mm	1000
TPKXP 13x25-1/4 "/1 I	base plug	13mm	6.35mm	1/4"	25mm	1000
TPKXP 13x25-7/1 I	base plug	13mm	7mm		25mm	1000
TPKXP 13x25-8/1 I	base plug	13mm	8mm		25mm	1000
TPKXP 13x25-9/1 I	base plug	13mm	9mm		25mm	1000
TPKXP 13x25-3/8"/1 I	base plug	13mm	9.525mm	3/8"	25mm	1000
TPKXP 13x25-10/1 I	base plug	13mm	10mm		25mm	1000
TPKXP 13x25-7/16"/1 I	base plug	13mm	11.11mm	7/16"	25mm	1000
TPKXP 13x25-12/1 I	base plug	13mm	12mm		25mm	1000
TPKXP 13x25-1/2"/1 I	base plug	13mm	12.7mm	1/2"	25mm	1000
TPKXP 18x34-9/1 I	base plug	18mm	9mm		34mm	250
TPKXP 18x34-12/1 I	base plug	18mm	12mm		34mm	250
TPKXP 18x34-13/1 I	base plug	18mm	13mm		34mm	250
TPKXP 18x34-14/1 I	base plug	18mm	14mm		34mm	250
TPKXP 18x34-15/1 I	base plug	18mm	15mm		34mm	250
TPKXP 18x34-9/16"/1 I	base plug	18mm	14.287mm	9/16"	34mm	250
TPKXP 18x34-5/8"/1 I	base plug	18mm	15.875mm	5/8"	34mm	250
TPKXP 18x34-16/1 I	base plug	18mm	16mm		34mm	250
TPKXP 20x40-18/1 I	base plug	20mm	18mm		40mm	250
TPKXP 20x40-3/4"/1 I	base plug	20mm	19.05mm	3/4"	40mm	250
TPKXP 20x40-20/1 I	base plug	20mm	20mm		40mm	250

Part type Diam. Shank Shank Inner length PU

Outer part see next page **7**



Base plug



PACKAGING

Base plugs and outer parts are packed separately




MATERIAL

- Outer part: Polypropylene (PP)
- Base plugs: Polyethylene (PE)



- Outer part in PP transparent
- Base plug in PE natural

USABLE LENGTHS



SHANK DIAM.



PRODUCTION ENVIRONMENT

- various sizes available in cleanroom production

STANDARD COLOR



Product Range

Outer part

Article	Part type	Diameter	Inner length	Suitable base plug	Usable length	PU
TPK 8x42 A	outer part	8mm	42mm	TPKXP 8	50	1000
TPK 8x52 A	outer part	8mm	52mm	TPKXP 8	60	1000
TPK 8x70 A	outer part	8mm	70mm	TPKXP 8	77	1000
TPK 8x85/2 A	outer part	8mm	85mm	TPKXP 8	92	2300
TPK 8x97 A	outer part	8mm	97mm	TPKXP 8	105	1000
TPK 8x97/2 A	outer part	8mm	97mm	TPKXP 8	105	1000
TPK 13x56 A	outer part	13mm	56mm	TPKXP 13	66	500
TPK 13x74 A	outer part	13mm	74mm	TPKXP 13	84	500
TPK 13x88 A	outer part	13mm	88mm	TPKXP 13	98	500
TPK 13x97 A	outer part	13mm	97mm	TPKXP 13	108	500
TPK 13x110 A	outer part	13mm	110mm	TPKXP 13	120	500
TPK 18x83 A	outer part	18mm	83mm	TPKXP 18	98	500
TPK 18x113 A	outer part	18mm	113mm	TPKXP 18	129	500
TPK 18x130 A	outer part	18mm	130mm	TPKXP 18	144	250
TPK 18x145/2 A	outer part	18mm	145mm	TPKXP 18	158	500
TPK 20x89 A	outer part	20mm	89mm	TPKXP 20	108	250
TPK 20x130 A	outer part	20mm	130mm	TPKXP 20	149	250



TubeIn**Tube**®

Double sterile barrier packaging

- double sterile barrier packaging system
- outer and inner tube with sterile barrier and tamper proof closure
- creates a secure, effective sterile barrier
- protects and safeguards your implant's functionality
- makes sterilization in the hospital obsolete
- optimizes the process and simplifies handling in operating rooms
- saves storage space









The proof of the suitability of the packaging in combination with the medical device to be packed must

MATERIAL

- Inner and outer tube:
- Inner and outer plug: combination of PE and TPE
- Tamper proof closure: PE



PETG clear

USABLE LENGTHS




PRODUCTION ENVIRONMENT

- cleanroom production

Product Range


Article	Inner tube Ø	Outer tube Ø	Overall length	Screw thread Ø minmax.	Screw length max.
TT 10 040 K*	10	16	97	2.0, 2.5, 3.0, 3.5	40
TT 10 080 K*	10	16	137	4.0, 5.0, 6.0	80
TT 10 160 K*	10	16	217	7.0, 8.0	160

^{*}planned dimensions; product in development stage



BONE SCREW SIZES

TubeInTube® is suitable for bone screws with thread diameters from 2 to 8 mm (screw head diameters from 2.8 to 10 mm) and in lengths up to 160 mm.



Twist Pack Plus

More safety. More efficiency. The new generation of TwistPack packaging tubes convince with userfriendly twist lock closure

- maximum flexibility through universal length adjustment
- optimal product protection
- easy opening and closing through telescopic adjustment
- firm hold force through our click groove system
- hexagon tube bottom prevents rolling
- speedy handling
- safe transportation
- durable and reusable

Need packaging for

products? Meet the

length, turn – et voila!

elongated or cylindrical

solution. Simply adjust the

can be used as primary or secondary packaging







The proof of the suitability of the packaging in combination with the medical device to be packed must be provided by the manufacturer.



PACKAGING

Outer parts and inner parts are packed separately; TX 85 and TX 105 outer parts and inner parts are packed assembled



MATERIAL

- Polypropylene (PP)
- Polyethylene (PE)



COLOR

- PP transparent
- PE natural

USABLE LENGTHS



Ø DIAMETER



PRODUCTION ENVIRONMENT

 various sizes available in cleanroom production

STANDARD COLOR



Product Range

TX 10 050 10mm 50 - 70mm 2000 TX 35 050 35mm 50 - 60mm 450 TX 10 120 10mm 120 - 200mm 1700 TX 35 080 35mm 60 - 80mm 600 TX 13 050 13mm 50 - 70mm 2100 TX 35 080 35mm 120 - 200mm 350 TX 13 080 13mm 80 - 120mm 1300 TX 35 200 35mm 200 - 350mm 250 TX 13 120 13mm 120 - 200mm 1700 TX 35 350 35mm 350 - 620mm 150 TX 13 200 13mm 200 - 350mm 1350 TX 35 500" 35mm 500 - 750mm 250 TX 16 080 16mm 50 - 70mm 1500 TX 40 050 40mm 50 - 60mm 700 TX 16 200 16mm 200 - 350mm 1000 TX 40 080 40mm 80 - 120mm 600 TX 16 350 16mm 350 - 620mm 500 TX 40 080 40mm 80 - 120mm 200 TX 16 410 16mm 410 - 770mm <t< th=""></t<>
TX 10 120 10mm 120 - 200mm 1000 TX 35 080 35mm 80 - 120mm 550 TX 13 080 13mm 50 - 70mm 2100 TX 35 120 35mm 120 - 200mm 350 TX 13 120 13mm 120 - 200mm 1700 TX 35 500 35mm 200 - 350mm 250 TX 13 200 13mm 200 - 350mm 1350 TX 35 500 35mm 500 - 750mm 250 TX 14 005 16mm 50 - 70mm 1500 TX 35 700° 35mm 500 - 750mm 150 TX 16 080 16mm 80 - 120mm 1200 TX 40 050 40mm 50 - 60mm 700 TX 16 200 16mm 200 - 350mm 1000 TX 40 060 40mm 80 - 120mm 60 TX 16 350 16mm 350 - 620mm 500 TX 40 080 40mm 80 - 120mm 20 TX 20 050 20mm 50 - 70mm 950 TX 40 200 40mm 200 - 350mm 208 TX 20 120 20mm 120 - 200mm <t< td=""></t<>
TX 13 050 13mm 50 - 70mm 2100 TX 35 120 35mm 120 - 200mm 350 TX 13 120 13mm 80 - 120mm 1300 TX 35 200 35mm 200 - 350mm 250 TX 13 200 13mm 120 - 200mm 1700 TX 35 500" 35mm 350 - 620mm 150 TX 13 200 13mm 200 - 350mm 1500 TX 35 500" 35mm 500 - 750mm 250 TX 16 050 16mm 50 - 70mm 1500 TX 40 050 40mm 50 - 60mm 700 TX 16 120 16mm 120 - 200mm 1200 TX 40 060 40mm 60 - 80mm 600 TX 16 120 16mm 350 - 620mm 500 TX 40 080 40mm 80 - 120mm 450 TX 16 130 16mm 350 - 620mm 500 TX 40 120 40mm 120 - 200mm 270 TX 20 080 20mm 50 - 70mm 950 TX 45 050 45mm 50 - 60mm 280 TX 20 080 20mm 120 - 200mm <t< td=""></t<>
TX 13 080 13mm 80 - 120mm 1300 TX 35 200 35mm 200 - 350mm 250 TX 13 120 13mm 120 - 200mm 1700 TX 35 350 35mm 350 - 620mm 150 TX 16 050 16mm 50 - 70mm 1500 TX 35 500° 35mm 500 - 750mm 250 TX 16 080 16mm 80 - 120mm 1200 TX 40 050 40mm 50 - 60mm 700 TX 16 120 16mm 120 - 200mm 1200 TX 40 050 40mm 60 - 80mm 600 TX 16 200 16mm 200 - 350mm 1000 TX 40 080 40mm 80 - 120mm 450 TX 16 350 16mm 350 - 620mm 500 TX 40 200 40mm 120 - 200mm 270 TX 20 050 20mm 50 - 70mm 950 TX 40 200 40mm 350 - 620mm 208 TX 20 080 20mm 80 - 120mm 1500 TX 45 080 45mm 50 - 60mm 200 TX 20 200 20mm 20 - 350mm <td< td=""></td<>
TX 13 120 13mm 120 - 200mm 1700 TX 35 350 35mm 350 - 620mm 150 TX 13 200 13mm 200 - 350mm 1350 TX 35 500* 35mm 500 - 750mm 250 TX 16 080 16mm 50 - 70mm 1500 TX 35 700* 35mm 700 - 1050mm 150 TX 16 120 16mm 120 - 200mm 1200 TX 40 060 40mm 60 - 60mm 700 TX 16 120 16mm 200 - 350mm 1000 TX 40 060 40mm 60 - 60mm 600 TX 16 350 16mm 350 - 620mm 500 TX 40 120 40mm 120 - 200mm 270 TX 20 050 20mm 50 - 70mm 950 TX 40 200 40mm 350 - 620mm 208 TX 20 080 20mm 80 - 120mm 1500 TX 45 050 45mm 50 - 60mm 200 TX 20 200 20mm 20 - 350mm 700 TX 45 060 45mm 50 - 60mm 200 TX 22 200 22mm 50 - 60mm <td< td=""></td<>
TX 13 200
TX 16 050 16mm 50 - 70mm 1500 TX 35 700° 35mm 700 - 1050mm 150 TX 16 080 16mm 80 - 120mm 2000 TX 40 050 40mm 50 - 60mm 700 TX 16 120 16mm 120 - 200mm 1200 TX 40 060 40mm 60 - 80mm 600 TX 16 200 16mm 200 - 3550mm 1000 TX 40 080 40mm 80 - 120mm 450 TX 16 410 16mm 410 - 770mm 500 TX 40 200 40mm 120 - 200mm 200 TX 20 080 20mm 50 - 70mm 950 TX 40 350 40mm 350 - 620mm 208 TX 20 080 20mm 120 - 200mm 1500 TX 45 050 45mm 50 - 60mm 120 TX 20 200 20mm 120 - 200mm 1000 TX 45 060 45mm 80 - 120mm 300 TX 22 200 22mm 80 - 120mm 1300 TX 45 200 45mm 200 - 350mm 300 TX 22 200 22mm 80 - 620mm <
TX 16 080 16mm 80 - 120mm 2000 TX 40 050 40mm 50 - 60mm 700 TX 16 120 16mm 120 - 200mm 1200 TX 40 060 40mm 60 - 80mm 600 TX 16 320 16mm 200 - 350mm 1000 TX 40 080 40mm 80 - 120mm 450 TX 16 350 16mm 350 - 620mm 500 TX 40 200 40mm 120 - 200mm 270 TX 16 6410 16mm 410 - 770mm 500 TX 40 350 40mm 350 - 620mm 208 TX 20 080 20mm 80 - 120mm 1500 TX 45 050 45mm 50 - 60mm 208 TX 20 080 20mm 120 - 200mm 900 TX 45 060 45mm 50 - 60mm 200 TX 22 080 22mm 50 - 60mm 1000 TX 45 080 45mm 80 - 120mm 300 TX 22 080 22mm 80 - 120mm 1300 TX 45 200 45mm 20 - 350mm 100 TX 22 120 22mm 80 - 120mm 30
TX 16 120 16mm 120 - 200mm 1200 TX 40 060 40mm 60 - 80mm 600 TX 16 200 16mm 200 - 350mm 1000 TX 40 080 40mm 80 - 120mm 450 TX 16 350 16mm 350 - 620mm 500 TX 40 120 40mm 120 - 200mm 270 TX 16 410 16mm 410 - 770mm 500 TX 40 200 40mm 200 - 350mm 208 TX 20 050 20mm 50 - 70mm 950 TX 40 200 40mm 350 - 620mm 120 TX 20 080 20mm 120 - 200mm 1500 TX 45 050 45mm 50 - 60mm 280 TX 20 120 20mm 120 - 200mm 700 TX 45 080 45mm 50 - 60mm 300 TX 22 050 22mm 50 - 60mm 1000 TX 45 120 45mm 10 - 200mm 250 TX 22 080 22mm 80 - 120mm 1300 TX 45 200 45mm 20 - 250mm 180 TX 22 120 22mm 120 - 200mm 6
TX 16 200 16mm 200 - 350mm 1000 TX 40 880 40mm 80 - 120mm 450 TX 16 350 16mm 350 - 620mm 500 TX 40 120 40mm 120 - 200mm 270 TX 16 410 16mm 410 - 770mm 500 TX 40 200 40mm 200 - 350mm 208 TX 20 050 20mm 50 - 70mm 950 TX 40 350 40mm 350 - 620mm 120 TX 20 080 20mm 120 - 200mm 900 TX 45 060 45mm 50 - 60mm 280 TX 20 200 20mm 200 - 350mm 700 TX 45 080 45mm 80 - 120mm 300 TX 22 050 22mm 50 - 60mm 1000 TX 45 120 45mm 80 - 120mm 300 TX 22 080 22mm 80 - 120mm 1300 TX 45 200 45mm 20 - 250mm 180 TX 22 120 22mm 120 - 200mm 650 TX 45 350 45mm 20 - 250mm 180 TX 22 120 22mm 120 - 350mm 1
TX 16 350 16mm 350 - 620mm 500 TX 40 120 40mm 120 - 200mm 270 TX 16 410 16mm 410 - 770mm 500 TX 40 200 40mm 200 - 350mm 208 TX 20 050 20mm 50 - 70mm 950 TX 40 350 40mm 350 - 620mm 120 TX 20 080 20mm 120 - 200mm 1500 TX 45 050 45mm 50 - 60mm 280 TX 20 120 20mm 120 - 200mm 900 TX 45 060 45mm 60 - 80mm 500 TX 22 200 20mm 200 - 350mm 700 TX 45 080 45mm 80 - 120mm 300 TX 22 2080 22mm 50 - 60mm 1300 TX 45 200 45mm 120 - 200mm 250 TX 22 120 22mm 120 - 200mm 650 TX 45 350 45mm 250 - 750mm 180 TX 22 200 22mm 350 - 620mm 390 TX 45 700* 45mm 500 - 750mm 180 TX 22 200 22mm 350 - 750mm <
TX 16 410 16mm 410 - 770mm 500 TX 40 200 40mm 200 - 350mm 208 TX 20 050 20mm 50 - 70mm 950 TX 40 350 40mm 350 - 620mm 120 TX 20 080 20mm 80 - 120mm 1500 TX 45 050 45mm 50 - 60mm 280 TX 20 120 20mm 120 - 200mm 900 TX 45 060 45mm 60 - 80mm 500 TX 20 200 20mm 200 - 350mm 700 TX 45 080 45mm 80 - 120mm 300 TX 22 050 22mm 50 - 660mm 1000 TX 45 120 45mm 120 - 2350mm 250 TX 22 120 22mm 120 - 200mm 650 TX 45 500 45mm 200 - 350mm 180 TX 22 200 22mm 120 - 200mm 600 TX 45 500* 45mm 500 - 750mm 180 TX 22 200 22mm 350 - 620mm 390 TX 45 700* 45mm 500 - 750mm 180 TX 22 500* 22mm 500 - 750mm
TX 20 050 20mm 50 - 70mm 950 TX 40 350 40mm 350 - 620mm 120 TX 20 080 20mm 80 - 120mm 1500 TX 45 050 45mm 50 - 60mm 280 TX 20 120 20mm 120 - 200mm 900 TX 45 060 45mm 60 - 80mm 500 TX 20 200 20mm 200 - 350mm 700 TX 45 080 45mm 80 - 120mm 300 TX 22 050 22mm 50 - 60mm 1000 TX 45 120 45mm 120 - 200mm 250 TX 22 080 22mm 80 - 120mm 1300 TX 45 200 45mm 200 - 350mm 180 TX 22 120 22mm 120 - 200mm 650 TX 45 350 45mm 350 - 620mm 180 TX 22 200 22mm 200 - 350mm 600 TX 45 500* 45mm 500 - 750mm 180 TX 22 410 22mm 410 - 770mm 300 TX 50 050 50mm 50 - 60mm 400 TX 22 500* 22mm 50 - 750mm 6
TX 20 080 20mm 80 - 120mm 1500 TX 45 050 45mm 50 - 60mm 280 TX 20 120 20mm 120 - 200mm 900 TX 45 060 45mm 60 - 80mm 500 TX 20 200 20mm 200 - 350mm 700 TX 45 080 45mm 80 - 120mm 300 TX 22 050 22mm 50 - 60mm 1000 TX 45 120 45mm 120 - 200mm 250 TX 22 080 22mm 80 - 120mm 1300 TX 45 200 45mm 200 - 350mm 180 TX 22 120 22mm 120 - 200mm 650 TX 45 350 45mm 350 - 620mm 100 TX 22 200 22mm 200 - 350mm 600 TX 45 500* 45mm 500 - 750mm 180 TX 22 350 22mm 350 - 620mm 390 TX 45 700* 45mm 700 - 1050mm 180 TX 22 410 22mm 410 - 770mm 300 TX 50 050 50mm 50 - 60mm 400 TX 22 500* 22mm 500 - 750mm
TX 20 120 20mm 120 - 200mm 900 TX 45 060 45mm 60 - 80mm 500 TX 20 200 20mm 200 - 350mm 700 TX 45 080 45mm 80 - 120mm 300 TX 22 050 22mm 50 - 60mm 1000 TX 45 120 45mm 120 - 200mm 250 TX 22 080 22mm 120 - 200mm 650 TX 45 200 45mm 200 - 350mm 180 TX 22 120 22mm 120 - 200mm 650 TX 45 350 45mm 350 - 620mm 100 TX 22 200 22mm 200 - 350mm 600 TX 45 500* 45mm 500 - 750mm 180 TX 22 350 22mm 350 - 620mm 390 TX 45 700* 45mm 700 - 1050mm 100 TX 22 410 22mm 500 - 750mm 300 TX 50 050 50mm 50 - 60mm 400 TX 22 500* 22mm 500 - 750mm 390 TX 50 060 50mm 60 - 80mm 350 TX 24 050 24mm 50 - 60mm <t< td=""></t<>
TX 20 200 20mm 200 - 350mm 700 TX 45 080 45mm 80 - 120mm 300 TX 22 050 22mm 50 - 60mm 1000 TX 45 120 45mm 120 - 200mm 250 TX 22 080 22mm 80 - 120mm 1300 TX 45 200 45mm 200 - 350mm 180 TX 22 120 22mm 120 - 200mm 650 TX 45 350 45mm 350 - 620mm 100 TX 22 200 22mm 200 - 350mm 600 TX 45 500* 45mm 500 - 750mm 180 TX 22 350 22mm 350 - 620mm 390 TX 45 700* 45mm 700 - 1050mm 100 TX 22 410 22mm 410 - 770mm 300 TX 50 050 50mm 50 - 60mm 400 TX 22 500* 22mm 500 - 750mm 600 TX 50 060 50mm 60 - 80mm 350 TX 22 700* 22mm 700 - 1050mm 390 TX 50 080 50mm 80 - 120mm 100 TX 24 050 24mm 80 - 120mm
TX 22 050 22mm 50 - 60mm 1000 TX 45 120 45mm 120 - 200mm 250 TX 22 080 22mm 80 - 120mm 1300 TX 45 200 45mm 200 - 350mm 180 TX 22 120 22mm 120 - 200mm 650 TX 45 350 45mm 200 - 350mm 100 TX 22 200 22mm 200 - 350mm 600 TX 45 500* 45mm 500 - 750mm 180 TX 22 350 22mm 350 - 620mm 390 TX 45 700* 45mm 500 - 750mm 180 TX 22 410 22mm 410 - 770mm 300 TX 50 050 50mm 50 - 60mm 400 TX 22 500* 22mm 500 - 750mm 600 TX 50 060 50mm 50 - 60mm 350 TX 22 700* 22mm 500 - 750mm 390 TX 50 060 50mm 80 - 120mm 300 TX 24 050 24mm 50 - 60mm 810 TX 50 120 50mm 120 - 200mm 190 TX 24 080 24mm 120 - 200mm
TX 22 080 22mm 80 - 120mm 1300 TX 45 200 45mm 200 - 350mm 180 TX 22 120 22mm 120 - 200mm 650 TX 45 350 45mm 350 - 620mm 100 TX 22 200 22mm 200 - 350mm 600 TX 45 500* 45mm 500 - 750mm 180 TX 22 350 22mm 350 - 620mm 390 TX 45 700* 45mm 700 - 1050mm 100 TX 22 410 22mm 410 - 770mm 300 TX 50 050 50mm 50 - 60mm 400 TX 22 500* 22mm 500 - 750mm 600 TX 50 060 50mm 60 - 80mm 350 TX 22 700* 22mm 700 - 1050mm 390 TX 50 080 50mm 60 - 80mm 350 TX 24 050 24mm 50 - 60mm 810 TX 50 120 50mm 120 - 200mm 190 TX 24 080 24mm 120 - 200mm 600 TX 50 350 50mm 350 - 620mm 80 TX 24 120 24mm 120 - 200mm
TX 22 120 22mm 120 - 200mm 650 TX 45 350 45mm 350 - 620mm 100 TX 22 200 22mm 200 - 350mm 600 TX 45 500* 45mm 500 - 750mm 180 TX 22 350 22mm 350 - 620mm 390 TX 45 700* 45mm 700 - 1050mm 100 TX 22 410 22mm 410 - 770mm 300 TX 50 050 50mm 50 - 60mm 400 TX 22 500* 22mm 500 - 750mm 600 TX 50 060 50mm 60 - 80mm 350 TX 22 700* 22mm 700 - 1050mm 390 TX 50 080 50mm 80 - 120mm 300 TX 24 050 24mm 50 - 60mm 810 TX 50 120 50mm 120 - 200mm 190 TX 24 080 24mm 120 - 200mm 600 TX 50 200 50mm 200 - 350mm 140 TX 24 120 24mm 120 - 200mm 600 TX 50 350 50mm 350 - 620mm 80 TX 26 050 26mm 50 - 60mm
TX 22 200 22mm 200 - 350mm 600 TX 45 500* 45mm 500 - 750mm 180 TX 22 350 22mm 350 - 620mm 390 TX 45 700* 45mm 700 - 1050mm 100 TX 22 410 22mm 410 - 770mm 300 TX 50 050 50mm 50 - 60mm 400 TX 22 500* 22mm 500 - 750mm 600 TX 50 060 50mm 60 - 80mm 350 TX 22 700* 22mm 700 - 1050mm 390 TX 50 080 50mm 80 - 120mm 300 TX 24 050 24mm 50 - 60mm 810 TX 50 120 50mm 120 - 200mm 190 TX 24 080 24mm 80 - 120mm 1000 TX 50 200 50mm 200 - 350mm 140 TX 24 120 24mm 120 - 200mm 600 TX 55 050 55mm 350 - 620mm 80 TX 26 050 26mm 50 - 60mm 800 TX 55 050 55mm 50 - 80mm 200 TX 26 050 26mm 80 - 120mm <td< td=""></td<>
TX 22 350 22mm 350 - 620mm 390 TX 45 700* 45mm 700 - 1050mm 100 TX 22 410 22mm 410 - 770mm 300 TX 50 050 50mm 50 - 60mm 400 TX 22 500* 22mm 500 - 750mm 600 TX 50 060 50mm 60 - 80mm 350 TX 22 700* 22mm 700 - 1050mm 390 TX 50 080 50mm 80 - 120mm 300 TX 24 050 24mm 50 - 60mm 810 TX 50 120 50mm 120 - 200mm 190 TX 24 080 24mm 80 - 120mm 1000 TX 50 200 50mm 200 - 350mm 140 TX 24 120 24mm 120 - 200mm 600 TX 50 350 50mm 350 - 620mm 80 TX 24 200 24mm 200 - 350mm 500 TX 55 060 55mm 50mm 400 TX 26 050 26mm 50 - 60mm 800 TX 55 060 55mm 60 - 80mm 200 TX 26 120 26mm 120 - 200mm 550
TX 22 410 22mm 410 - 770mm 300 TX 50 050 50mm 50 - 60mm 400 TX 22 500* 22mm 500 - 750mm 600 TX 50 060 50mm 60 - 80mm 350 TX 22 700* 22mm 700 - 1050mm 390 TX 50 080 50mm 80 - 120mm 300 TX 24 050 24mm 50 - 60mm 810 TX 50 120 50mm 120 - 200mm 190 TX 24 080 24mm 80 - 120mm 1000 TX 50 200 50mm 200 - 350mm 140 TX 24 120 24mm 120 - 200mm 600 TX 50 350 50mm 350 - 620mm 80 TX 24 200 24mm 200 - 350mm 500 TX 55 050 55mm 50mm 400 TX 26 050 26mm 50 - 60mm 800 TX 55 060 55mm 60 - 80mm 200 TX 26 120 26mm 120 - 200mm 550 TX 55 120 55mm 80 - 120mm 160 TX 26 350 26mm 350 - 620mm 260
TX 22 500* 22mm 500 - 750mm 600 TX 50 060 50mm 60 - 80mm 350 TX 22 700* 22mm 700 - 1050mm 390 TX 50 080 50mm 80 - 120mm 300 TX 24 050 24mm 50 - 60mm 810 TX 50 120 50mm 120 - 200mm 190 TX 24 080 24mm 80 - 120mm 1000 TX 50 200 50mm 200 - 350mm 140 TX 24 120 24mm 120 - 200mm 600 TX 50 350 50mm 350 - 620mm 80 TX 24 200 24mm 200 - 350mm 500 TX 55 050 55mm 50mm 400 TX 26 050 26mm 50 - 60mm 800 TX 55 060 55mm 50mm 200 TX 26 080 26mm 80 - 120mm 900 TX 55 080 55mm 80 - 120mm 200 TX 26 120 26mm 120 - 200mm 550 TX 55 120 55mm 120 - 200mm 160 TX 26 350 26mm 350 - 620mm 260
TX 22 700* 22mm 700 - 1050mm 390 TX 50 080 50mm 80 - 120mm 300 TX 24 050 24mm 50 - 60mm 810 TX 50 120 50mm 120 - 200mm 190 TX 24 080 24mm 80 - 120mm 1000 TX 50 200 50mm 200 - 350mm 140 TX 24 120 24mm 120 - 200mm 600 TX 50 350 50mm 350 - 620mm 80 TX 24 200 24mm 200 - 350mm 500 TX 55 050 55mm 50mm 400 TX 26 050 26mm 50 - 60mm 800 TX 55 060 55mm 50mm 200 TX 26 080 26mm 80 - 120mm 900 TX 55 080 55mm 80 - 120mm 200 TX 26 120 26mm 120 - 200mm 550 TX 55 120 55mm 120 - 200mm 160 TX 26 200 26mm 350 - 620mm 260 TX 55 350 55mm 200 - 350mm 110 TX 26 350 26mm 410 - 770mm 200
TX 24 050 24mm 50 - 60mm 810 TX 50 120 50mm 120 - 200mm 190 TX 24 080 24mm 80 - 120mm 1000 TX 50 200 50mm 200 - 350mm 140 TX 24 120 24mm 120 - 200mm 600 TX 50 350 50mm 350 - 620mm 80 TX 24 200 24mm 200 - 350mm 500 TX 55 050 55mm 50mm 400 TX 26 050 26mm 50 - 60mm 800 TX 55 060 55mm 60 - 80mm 200 TX 26 080 26mm 80 - 120mm 900 TX 55 080 55mm 80 - 120mm 200 TX 26 120 26mm 120 - 200mm 550 TX 55 120 55mm 120 - 200mm 160 TX 26 200 26mm 350 - 620mm 260 TX 55 350 55mm 120 - 200mm 110 TX 26 350 26mm 350 - 620mm 260 TX 65 050 65mm 50 - 80mm 220 TX 26 700* 26mm 700 - 1050mm 260
TX 24 080 24mm 80 - 120mm 1000 TX 50 200 50mm 200 - 350mm 140 TX 24 120 24mm 120 - 200mm 600 TX 50 350 50mm 350 - 620mm 80 TX 24 200 24mm 200 - 350mm 500 TX 55 050 55mm 50mm 400 TX 26 050 26mm 50 - 60mm 800 TX 55 060 55mm 60 - 80mm 200 TX 26 080 26mm 80 - 120mm 900 TX 55 080 55mm 80 - 120mm 200 TX 26 120 26mm 120 - 200mm 550 TX 55 120 55mm 120 - 200mm 160 TX 26 200 26mm 200 - 350mm 450 TX 55 200 55mm 200 - 350mm 110 TX 26 350 26mm 350 - 620mm 260 TX 55 350 55mm 350 - 620mm 68 TX 26 410 26mm 410 - 770mm 200 TX 65 050 65mm 50 - 80mm 220 TX 26 700* 26mm 700 - 1050mm 260
TX 24 120 24mm 120 - 200mm 600 TX 50 350 50mm 350 - 620mm 80 TX 24 200 24mm 200 - 350mm 500 TX 55 050 55mm 50mm 400 TX 26 050 26mm 50 - 60mm 800 TX 55 060 55mm 60 - 80mm 200 TX 26 080 26mm 80 - 120mm 900 TX 55 080 55mm 80 - 120mm 200 TX 26 120 26mm 120 - 200mm 550 TX 55 120 55mm 120 - 200mm 160 TX 26 200 26mm 200 - 350mm 450 TX 55 200 55mm 200 - 350mm 110 TX 26 350 26mm 350 - 620mm 260 TX 55 350 55mm 350 - 620mm 68 TX 26 410 26mm 410 - 770mm 200 TX 65 050 65mm 50mm 220 TX 26 700* 26mm 500 - 750mm 450 TX 65 060 65mm 80 - 120mm 170 TX 28 050 28mm 50 - 60mm 600
TX 24 200 24mm 200 - 350mm 500 TX 55 050 55mm 50mm 400 TX 26 050 26mm 50 - 60mm 800 TX 55 060 55mm 60 - 80mm 200 TX 26 080 26mm 80 - 120mm 900 TX 55 080 55mm 80 - 120mm 200 TX 26 120 26mm 120 - 200mm 550 TX 55 120 55mm 120 - 200mm 160 TX 26 200 26mm 200 - 350mm 450 TX 55 200 55mm 200 - 350mm 110 TX 26 350 26mm 350 - 620mm 260 TX 55 350 55mm 350 - 620mm 68 TX 26 410 26mm 410 - 770mm 200 TX 65 050 65mm 50mm 220 TX 26 500* 26mm 500 - 750mm 450 TX 65 060 65mm 60 - 80mm 220 TX 26 700* 26mm 700 - 1050mm 260 TX 65 080 65mm 80 - 120mm 170 TX 28 080 28mm 50 - 60mm 600
TX 26 050 26mm 50 - 60mm 800 TX 55 060 55mm 60 - 80mm 200 TX 26 080 26mm 80 - 120mm 900 TX 55 080 55mm 80 - 120mm 200 TX 26 120 26mm 120 - 200mm 550 TX 55 120 55mm 120 - 200mm 160 TX 26 200 26mm 200 - 350mm 450 TX 55 200 55mm 200 - 350mm 110 TX 26 350 26mm 350 - 620mm 260 TX 55 350 55mm 350 - 620mm 68 TX 26 410 26mm 410 - 770mm 200 TX 65 050 65mm 50mm 220 TX 26 500* 26mm 500 - 750mm 450 TX 65 060 65mm 60 - 80mm 220 TX 26 700* 26mm 700 - 1050mm 260 TX 65 080 65mm 80 - 120mm 170 TX 28 050 28mm 50 - 60mm 600 TX 65 120 65mm 120 - 200mm 128 TX 28 080 28mm 120 - 200mm 550
TX 26 080 26mm 80 - 120mm 900 TX 55 080 55mm 80 - 120mm 200 TX 26 120 26mm 120 - 200mm 550 TX 55 120 55mm 120 - 200mm 160 TX 26 200 26mm 200 - 350mm 450 TX 55 200 55mm 200 - 350mm 110 TX 26 350 26mm 350 - 620mm 260 TX 55 350 55mm 350 - 620mm 68 TX 26 410 26mm 410 - 770mm 200 TX 65 050 65mm 50mm 220 TX 26 500* 26mm 500 - 750mm 450 TX 65 060 65mm 60 - 80mm 220 TX 26 700* 26mm 700 - 1050mm 260 TX 65 080 65mm 80 - 120mm 170 TX 28 050 28mm 50 - 60mm 600 TX 65 120 65mm 120 - 200mm 128 TX 28 080 28mm 80 - 120mm 900 TX 65 350 65mm 350 - 620mm 46
TX 26 120 26mm 120 - 200mm 550 TX 55 120 55mm 120 - 200mm 160 TX 26 200 26mm 200 - 350mm 450 TX 55 200 55mm 200 - 350mm 110 TX 26 350 26mm 350 - 620mm 260 TX 55 350 55mm 350 - 620mm 68 TX 26 410 26mm 410 - 770mm 200 TX 65 050 65mm 50mm 220 TX 26 500* 26mm 500 - 750mm 450 TX 65 060 65mm 60 - 80mm 220 TX 26 700* 26mm 700 - 1050mm 260 TX 65 080 65mm 80 - 120mm 170 TX 28 050 28mm 50 - 60mm 600 TX 65 120 65mm 120 - 200mm 128 TX 28 080 28mm 80 - 120mm 900 TX 65 200 65mm 200 - 350mm 86 TX 28 120 28mm 120 - 200mm 550 TX 65 350 65mm 350 - 620mm 46
TX 26 200 26mm 200 - 350mm 450 TX 55 200 55mm 200 - 350mm 110 TX 26 350 26mm 350 - 620mm 260 TX 55 350 55mm 350 - 620mm 68 TX 26 410 26mm 410 - 770mm 200 TX 65 050 65mm 50mm 220 TX 26 500* 26mm 500 - 750mm 450 TX 65 060 65mm 60 - 80mm 220 TX 26 700* 26mm 700 - 1050mm 260 TX 65 080 65mm 80 - 120mm 170 TX 28 050 28mm 50 - 60mm 600 TX 65 120 65mm 120 - 200mm 128 TX 28 080 28mm 80 - 120mm 900 TX 65 200 65mm 200 - 350mm 86 TX 28 120 28mm 120 - 200mm 550 TX 65 350 65mm 350 - 620mm 46
TX 26 350 26mm 350 - 620mm 260 TX 55 350 55mm 350 - 620mm 68 TX 26 410 26mm 410 - 770mm 200 TX 65 050 65mm 50mm 220 TX 26 500* 26mm 500 - 750mm 450 TX 65 060 65mm 60 - 80mm 220 TX 26 700* 26mm 700 - 1050mm 260 TX 65 080 65mm 80 - 120mm 170 TX 28 050 28mm 50 - 60mm 600 TX 65 120 65mm 120 - 200mm 128 TX 28 080 28mm 80 - 120mm 900 TX 65 200 65mm 200 - 350mm 86 TX 28 120 28mm 120 - 200mm 550 TX 65 350 65mm 350 - 620mm 46
TX 26 410 26mm 410 - 770mm 200 TX 65 050 65mm 50mm 220 TX 26 500* 26mm 500 - 750mm 450 TX 65 060 65mm 60 - 80mm 220 TX 26 700* 26mm 700 - 1050mm 260 TX 65 080 65mm 80 - 120mm 170 TX 28 050 28mm 50 - 60mm 600 TX 65 120 65mm 120 - 200mm 128 TX 28 080 28mm 80 - 120mm 900 TX 65 200 65mm 200 - 350mm 86 TX 28 120 28mm 120 - 200mm 550 TX 65 350 65mm 350 - 620mm 46
TX 26 500* 26mm 500 - 750mm 450 TX 65 060 65mm 60 - 80mm 220 TX 26 700* 26mm 700 - 1050mm 260 TX 65 080 65mm 80 - 120mm 170 TX 28 050 28mm 50 - 60mm 600 TX 65 120 65mm 120 - 200mm 128 TX 28 080 28mm 80 - 120mm 900 TX 65 200 65mm 200 - 350mm 86 TX 28 120 28mm 120 - 200mm 550 TX 65 350 65mm 350 - 620mm 46
TX 26 700* 26mm 700 - 1050mm 260 TX 65 080 65mm 80 - 120mm 170 TX 28 050 28mm 50 - 60mm 600 TX 65 120 65mm 120 - 200mm 128 TX 28 080 28mm 80 - 120mm 900 TX 65 200 65mm 200 - 350mm 86 TX 28 120 28mm 120 - 200mm 550 TX 65 350 65mm 350 - 620mm 46
TX 28 050 28mm 50 - 60mm 600 TX 65 120 65mm 120 - 200mm 128 TX 28 080 28mm 80 - 120mm 900 TX 65 200 65mm 200 - 350mm 86 TX 28 120 28mm 120 - 200mm 550 TX 65 350 65mm 350 - 620mm 46
TX 28 080 28mm 80 - 120mm 900 TX 65 200 65mm 200 - 350mm 86 TX 28 120 28mm 120 - 200mm 550 TX 65 350 65mm 350 - 620mm 46
TX 28 120 28mm 120 - 200mm 550 TX 65 350 65mm 350 - 620mm 46
TX 28 200 28mm 200 - 350mm 405 TX 85 080 85mm 80 - 100mm 100
TX 30 050 30mm 50 - 60mm 1000 TX 85 120 85mm 120 - 180mm 65
TX 30 080 30mm 80 - 120mm 750 TX 85 200 85mm 200 - 350mm 36
TX 30 120 30mm 120 - 200mm 450 TX 85 350 85mm 350 - 550mm 20
TX 30 200 30mm 200 - 350mm 320 TX 85 550 85mm 550 - 1000mm 18
TX 30 350 30mm 350 - 620mm 200 TX 105 080 105mm 80 - 100mm 72
TX 30 410 30mm 410 - 770mm 160 TX 105 120 105mm 120 - 180mm 48
55 .15

*assembled from three parts (two outer parts and one middle part)



Consumer Box

Plastic boxes with hinged lid and integrated latch

- high quality image
- universal application
- polished lid surface provides high transparency for product visibility
- latch integrated into box contours
- durable hinges
- excellent surface for printing and labeling





Simply brilliant, brilliantly simple: This high-quality plastic box with integrated latch and polished lid surface is the perfect sales packaging



The proof of the suitability of the packaging in combination with the medical device to be packed must be provided by the manufacturer.

MATERIAL

Polypropylene (PP)



COLOR

PP transparent

HEIGHTS



8 - 45 mr

DIMENSION



32 - 244 mm

PRODUCTION ENVIRONMENT


 cleanroom production available upon request

STANDARD COLOR



Product Range

Article	Version	Description	Inner length	Inner width	Inner height	PU
CB 34x34x8/1	1		32mm	32mm	8mm	1000
CB 56x42x10/1	1		55mm	39mm	10mm	400
CB 68x50x13/1	1		66mm	47mm	13mm	470
CB 95x70x17/1	1		92mm	65mm	17mm	340
CB 95x70x17/3	3	w/ flat lid	92mm	65mm	17mm	340
CB 115x85x26/1	1		111mm	78mm	26mm	172
CB 138x102x30/1	1		134mm	95mm	30mm	88
CB 150x50x30/1	1		147mm	44mm	29mm	180
CB 180x145x45/1	1		173mm	135mm	45mm	80
CB 246x88x20/1	1		244mm	83mm	16mm	100



Split Pack

Multi-compartment packaging system with individual detachable units

- versatile packaging combining single unit with multiple packaging
- SplitPack: 2-part version with separate base and lid (SP 4x40 and SP 4x60 are one-piece version)
- SplitPack with shankholding: with integrated shankholding feature in lid
- detachable units make this product very efficient and user-friendly
- no packing and repacking of single items necessary
- each unit is reusable with hinged lid and snap-closure
- speedy handling
- excellent for stacking and storage







The proof of the suitability of the packaging in combination with the medical device to be packed must be provided by the manufacturer.

The only packaging we sell that's allowed to be broken. For safe transport and protection of multiple shank tools

Product Range

PACKAGING Sp

Outer parts and inner parts are packed separately



MATERIAL


Polypropylene (PP)



COLOR

PP transparent

USABLE LENGTHS



Ø DIAMETER



PRODUCTION ENVIRONMENT

 cleanroom production available upon request

STANDARD COLOR



SplitPack


Article	Number of units	Inner diam. unit	Inner length	PU
SP 4x40/2	10	4mm	42mm	700
SP 6x40/2	10	6mm	42mm	520
SP 6x50/2	10	6mm	50mm	780
SP 6x66/2	10	6mm	66mm	625
SP 6x80/2	10	6mm	80mm	500
SP 6x100/2	10	6mm	103mm	405
SP 8x66/2	10	8mm	67mm	600
SP 8x80/2	10	8mm	82mm	500
SP 8x100/2	10	8mm	104mm	420
SP 8x125/2	10	8mm	126mm	340
SP 10x66/2	10	10mm	67mm	420
SP 10x80/2	10	10mm	82mm	360
SP 10x100/2	10	10mm	104mm	300
SP 10x125/2	10	10mm	126mm	250
SP 12x80/2	5	12mm	85mm	525
SP 12x110/2	5	12mm	114mm	400
SP 16x80/2	5	16mm	84mm	330
SP 16x110/2	5	16mm	114mm	250

SplitPack with shankholding

Article	Number of units	Inner diam. unit	Shankholding diam	Inner length	PU
SP 6x50-2/2	10	6mm	2mm	50mm	780
SP 6x50-2.35/2	10	6mm	2.35mm	50mm	780
SP 6x50-2.8/2	10	6mm	2.35mm	50mm	780
SP 6x50-3/2	10	6mm	3mm	50mm	780
SP 6x66-2.35/2	10	6mm	2.35mm	66mm	625
SP 6x66-3/2	10	6mm	3mm	66mm	625
SP 8x66-3/2	10	8mm	3mm	67mm	600
SP 10x80-4/2	10	10mm	4mm	82mm	360
SP 10x80-6/2	10	10mm	6mm	82mm	360
SP 16x80-6/2	5	16mm	6mm	84mm	330

ROLL IT. TAKE IT. TAPE IT.







Functional single packaging for kinesiology tapes with roll-off function


- high-quality, stable packaging especially for kinesiology tapes
- suitable for space-saving wall assembly by simply hanging onto a rail
- with roll-off function
- recessed grip on the one side, round label surface on the other side
- closure of the two half-shells by snap mechanism
- for tape rolls up to max. 70 mm diameter and 50 mm width



The proof of the suitability of the packaging in combination with the medical device to be packed must be provided by the manufacturer.

Lieferprogramm

Article	Dimension	Description
TapePack	86x83x63mm	for tape rolls up to max. 70 mm diameter, 50 mm width





PACKAGING

half-shells are packed separately



MATERIAL

PRODUCTION ENVIRONMENT

Industrial standard

STANDARD COLOR







UniBox

Plastic storage boxes with hinged lid and secure closure

- with secure press closure and hinged lid
- speedy efficient packaging
- speedy handling
- safe transportation
- excellent for stacking and storage
- durable and reusable
- can be used as primary or secondary packaging





Multi-talent, all-rounder, universal genius. This box can be used for almost everything



The proof of the suitability of the packaging in combination with the medical device to be packed must

MATERIAL

Polypropylene (PP)



COLOR

PP transparent

HEIGHTS



DIMENSIONS



PRODUCTION ENVIRONMENT

- cleanroom production available upon request

STANDARD COLOR



Product Range

UniBox square

Article	Length	Width	Height	PU
UB 22x8/1	22mm	22mm	8mm	1500
UB 35x4/1	37mm	37mm	4mm	1000
UB 35x8/1	36mm	36mm	8mm	1000
UB 35x12/1	35mm	35mm	12mm	1000
UB 35x18/1	35mm	35mm	18mm	750
UB 35x25/1	35mm	35mm	25mm	600
UB 35x40/1	35mm	35mm	40mm	400
UB 47x6/1	49mm	49mm	6mm	750
UB 47x19/1	47mm	47mm	19mm	730
UB 47x40/1	43mm	43mm	40mm	320
UB 58x6/1	63mm	63mm	6mm	450
UB 58x12/1	62mm	62mm	12mm	300
UB 58x25/1	60mm	60mm	25mm	400
UB 58x40/1	58mm	58mm	40mm	330
UB 67x6/1	70mm	70mm	6mm	350
UB 67x12/1	69mm	69mm	12mm	250
UB 67x26/1	67mm	67mm	26mm	300
UB 67x40/1	67mm	67mm	40mm	225
UB 85x6/1	92mm	92mm	6mm	400
UB 85x12/1	91mm	91mm	12mm	250
UB 85x25/1	88mm	88mm	25mm	150
UB 85x40/1	86mm	86mm	40mm	150
UB 100x6/1	105mm	105mm	6mm	300
UB 100x12/1	103mm	103mm	12mm	200
UB 100x25/1	101mm	101mm	25mm	250
UB 100x40/1	100mm	100mm	40mm	110
UB 125x6/1	133mm	133mm	6mm	180
UB 125x12/1	132mm	132mm	12mm	120
UB 125x25/1	130mm	130mm	25mm	150
UB 125x40/1	127mm	127mm	40mm	130
UB 160x6/1	165mm	165mm	6mm	120
UB 160x12/1	164mm	164mm	12mm	90
UB 160x25/1	163mm	163mm	25mm	100
UB 160x40/1	160mm	160mm	40mm	70
UB 200x6/1	208mm	208mm	6mm	80
UB 200x12/1	207mm	207mm	12mm	50
UB 200x25/1	205mm	205mm	25mm	60
UB 200x40/1	200mm	200mm	40mm	40
UB 250x6/1	264mm	264mm	6mm	40
UB 250x12/1	263mm	263mm	12mm	28
UB 250x25/1	260mm	260mm	25mm	35

UniBox rectangular

	•			
Article	Length	Width	Height	PU
UB 52x36x5/1	52mm	36mm	5mm	1200
UB 18x55x7/1	55mm	18mm	7mm	1000
UB 18x55x25/1	55mm	18mm	25mm	500
UB 18x69x7/1	69mm	18mm	7mm	1000
UB 18x69x25/1	69mm	18mm	25mm	500
UB 69x45x26/1	69mm	45mm	26mm	350
UB 69x45x41/1	69mm	45mm	41mm	225
UB 31x82x11/1	82mm	31mm	11mm	650
UB 31x82x40/1	82mm	31mm	40mm	330
UB 53x107x18/1	107mm	53mm	18mm	250
UB 53x107x40/1	107mm	53mm	40mm	180
UB 59x126x22/1	126mm	59mm	22mm	140
UB 59x126x40/1	126mm	59mm	40mm	120
UB 82x138x27/1	138mm	82mm	27mm	90
UB 82x138x40/1	138mm	82mm	40mm	60

62

20mm

10mm

15mm

20mm

25mm

15mm

30mm

15mm

30mm

35mm

15mm

25mm

25mm

45mm

65mm

RCEL 290 M

SE flat foam RCEL 290/25

SE flat foam RCEL 290/25



Rose Case Ergo Line

Plastic cases with top functionality and sales boosting design

- modern design gives striking impact
- extremely adaptable to specific market or product requirements through numerous color combinations and various options of interior design - including plain, convoluted, or die-cut foam inserts
- embossed with company logo
- ergonomic handle, optional with soft-touch

Modern design combined

with top functionality -

class of its own

64

a packaging solution in a





- lids and bases can be custom printed or
- with polished surface label area
- optional transparent lid provides perfect product visibility
- concealed hinges, sturdy, cleverly integrated feet
- excellent for stacking and storage
- numerous secondary uses



Product Range

RoseCase ErgoLine

Article	Outer width	- height	- depth	Inner width	- height	- depth	PU
RCEL 125 S	197mm	167mm	23mm	180mm	125mm	18mm	45
RCEL 125 SM	197mm	167mm	35mm	180mm	125mm	30mm	30
RCEL 125 M	197mm	167mm	47mm	180mm	125mm	42mm	22
RCEL 155 S	244mm	207mm	29mm	225mm	155mm	23mm	30
RCEL 155 SM	244mm	207mm	44mm	225mm	155mm	38mm	20
RCEL 155 M	244mm	207mm	59mm	225mm	155mm	53mm	15
RCEL 175 S	275mm	231mm	31mm	255mm	175mm	26mm	30
RCEL 175 SM	275mm	231mm	48mm	255mm	175mm	43mm	20
RCEL 175 M	275mm	231mm	65mm	255mm	175mm	60mm	15
RCEL 195 S	307mm	260mm	35mm	284mm	195mm	30mm	40
RCEL 195 SM	307mm	260mm	55mm	284mm	195mm	48mm	25
RCEL 195 M	307mm	260mm	74mm	284mm	195mm	66mm	18
RCEL 220 S	346mm	292mm	39mm	320mm	220mm	34mm	28
RCEL 220 SM	346mm	292mm	62mm	320mm	220mm	56mm	18
RCEL 220 M	346mm	292mm	84mm	320mm	220mm	78mm	13
RCEL 250 M	393mm	331mm	95mm	365mm	250mm	90mm	8
RCEL 290 M	456mm	384mm	110mm	421mm	290mm	100mm	5
RCEL 290 ML	456mm	384mm	127mm	421mm	290mm	116mm	4
RCEL 290 L	456mm	384mm	144mm	421mm	290mm	132mm	4

first letter stands for cover, second letter stands for base; e.g. SM = cover size S and base size M

Suitable for Height PU Article

Foam inserts for RoseCase ErgoLine

COLORS

PACKAGING Packed assembled

MATERIAL - Polypropylene (PP) Standard version with polished label area


- Standard colors "M" & "L": black, red, blue, silver-gray and transparent
- Standard colors "S": transparent
- Closures in black, blue, red, silver-gray or in transparent
- Additional colors and color combinations upon request



ACCESSORIES

Please inquire for customized

INSIDE DEPTHS



INNER DIMENSIONS



180 - 421 mm

PRODUCTION ENVIRONMENT

- Industrial standard

STANDARD COLORS

Al ticle	Juitable for	Height	10	Article	Juitable for
SE Burl RCEL 125/10	RCEL 125	10mm	1	SE flat foam RCEL 125/10	RCEL 125
SE Burl RCEL 125/15	RCEL 125	15mm	1	SE flat foam RCEL 125/15	RCEL 125
SE Burl RCEL 125/20	RCEL 125	20mm	1	SE flat foam RCEL 125/20	RCEL 125
SE Burl RCEL 155/10	RCEL 155	10mm	1	SE flat foam RCEL 155/10	RCEL 155
SE Burl RCEL 155/15	RCEL 155	15mm	1	SE flat foam RCEL 155/15	RCEL 155
SE Burl RCEL 155/20	RCEL 155	20mm	1	SE flat foam RCEL 155/20	RCEL 155
SE Burl RCEL 155/25	RCEL 155	25mm	1	SE flat foam RCEL 155/25	RCEL 155
SE Burl RCEL 175/10	RCEL 175	10mm	1	SE flat foam RCEL 175/10	RCEL 175
SE Burl RCEL 175/15	RCEL 175	15mm	1	SE flat foam RCEL 175/15	RCEL 175
SE Burl RCEL 175/25	RCEL 175	25mm	1	SE flat foam RCEL 175/30	RCEL 175
SE Burl RCEL 175/30	RCEL 175	30mm	1	SE flat foam RCEL 195/15	RCEL 195
SE Burl RCEL 195/15	RCEL 195	15mm	1	SE flat foam RCEL 195/20	RCEL 195
SE Burl RCEL 195/30	RCEL 195	30mm	1	SE flat foam RCEL 195/30	RCEL 195
SE Burl RCEL 195/35	RCEL 195	35mm	1	SE flat foam RCEL 195/35	RCEL 195
SE Burl RCEL 220/15	RCEL 220	15mm	1	SE flat foam RCEL 220/15	RCEL 220
SE Burl RCEL 220/20	RCEL 220	20mm	1	SE flat foam RCEL 220/25	RCEL 220
SE Burl RCEL 220/30	RCEL 220	30mm	1	SE flat foam RCEL 220/35	RCEL 220
SE Burl RCEL 220/35	RCEL 220	35mm	1	SE flat foam RCEL 220/40	RCEL 220
SE Burl RCEL 220/40	RCEL 220	40mm	1	SE flat foam RCEL 250/25	RCEL 250
SE Burl RCEL 250/40	RCEL 250	40mm	1	SE flat foam RCEL 250/45	RCEL 250
SE Burl RCEL 250/50	RCEL 250	50mm	1	SE flat foam RCEL 290/50	RCEL 290
SE Burl RCEL 290/40	RCEL 290	40mm	1	SE flat foam RCEL 290/65	RCEL 290

SE Burl RCEL 290/50

SE Burl RCEL 290/60

RCEL 290

RCEL 290

60mm



Rose Case ProTec

Exclusive plastic case designed to perfectly protect your product

- top quality and technically designed case prevents case shells from bending or twisting
- extremely adaptable to specific market or product requirements through numerous color combinations and various options of interior design — including plain, convoluted, or die-cut foam inserts
- lids and bases can be custom printed or embossed with company logo
- optional transparent lid provides ideal product visibility
- strong and durable 180° opening closures
- concealed hinges and sturdy, cleverly integrated feet
- special location points provide safe stacking and storage
- numerous secondary uses



All in one (case) – maximum protection with an appealing product presentation





The proof of the suitability of the packaging in combination with the medical device to be packed must be provided by the manufacturer.

PACKAGING

Packed assembled



MATERIAL

- Polypropylene (PP)
- Standard version with polished label area



COLORS


- Standard colors: cover/base in black and transparent; closures in black and red
- RCPT 105: cover with integrated closures; color of closures corresponds to the color of the cover
- Additional colors and color combinations upon request




ACCESSORIES

Please inquire for customized foam inserts

INNER DEPTHS



INNER DIMENSIONS



105 - 296 mr

175 - 434 mm

PRODUCTION ENVIRONMENT

Industrial standard

STANDARD COLORS



Product Range

RoseCase ProTec

Article	Outer width	- height	- depth	Inner width	- height	- depth	PU
RCPT 105 M	187mm	143mm	42mm	175mm	105mm	35mm	28
RCPT 136 M	240mm	183mm	48mm	228mm	136mm	42mm	24
RCPT 161 L	262mm	210mm	72mm	244mm	161mm	66mm	10
RCPT 175 M	275mm	225mm	84mm	261mm	175mm	77mm	9
RCPT 222 S	338mm	273mm	84mm	326mm	222mm	77mm	12
RCPT 222 SM	338mm	273mm	123mm	326mm	222mm	116mm	8
RCPT 222 M	338mm	273mm	163mm	326mm	222mm	156mm	6
RCPT 237 M	395mm	295mm	107mm	382mm	237mm	100mm	5
RCPT 296 M	456mm	357mm	140mm	434mm	296mm	132mm	4

Foam inserts for RoseCase ProTec

SE Burl RCPT 105/10 convoluted foam RCPT 105 10mm 1 SE Burl RCPT 105/15 convoluted foam RCPT 105 15mm 1 SE Burl RCPT 105/20 convoluted foam RCPT 105 20mm 1 SE Burl RCPT 136/20 convoluted foam RCPT 136 20mm 1 SE Burl RCPT 161/30 convoluted foam RCPT 161 30mm 1 SE Burl RCPT 175/35 convoluted foam RCPT 175 35mm 1 SE Burl RCPT 175/40 convoluted foam RCPT 175 40mm 1 SE Burl RCPT 222/25 convoluted foam RCPT 222 25mm 1 SE Burl RCPT 222/35 convoluted foam RCPT 222 35mm 1 SE Burl RCPT 222/35 convoluted foam RCPT 222 35mm 1 SE Burl RCPT 222/35 convoluted foam RCPT 222 40mm 1 SE Burl RCPT 222/30 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 222/50 convoluted foam RCPT 222 50mm 1	
SE Burl RCPT 105/20 convoluted foam RCPT 105 20mm 1 SE Burl RCPT 136/20 convoluted foam RCPT 136 20mm 1 SE Burl RCPT 161/30 convoluted foam RCPT 161 30mm 1 SE Burl RCPT 175/35 convoluted foam RCPT 175 35mm 1 SE Burl RCPT 175/40 convoluted foam RCPT 175 40mm 1 SE Burl RCPT 222/25 convoluted foam RCPT 222 25mm 1 SE Burl RCPT 222/35 convoluted foam RCPT 222 35mm 1 SE Burl RCPT 222/40 convoluted foam RCPT 222 40mm 1 SE Burl RCPT 222/50 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 222/60 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 237/50 convoluted foam RCPT 237 50mm 1 SE Burl RCPT 296/25 convoluted foam RCPT 296 25mm 1 SE Burl RCPT 296/40 convoluted foam RCPT 296 40mm 1	
SE Burl RCPT 136/20 convoluted foam RCPT 136 20mm 1 SE Burl RCPT 161/30 convoluted foam RCPT 161 30mm 1 SE Burl RCPT 175/35 convoluted foam RCPT 175 35mm 1 SE Burl RCPT 175/40 convoluted foam RCPT 175 40mm 1 SE Burl RCPT 222/25 convoluted foam RCPT 222 25mm 1 SE Burl RCPT 222/35 convoluted foam RCPT 222 35mm 1 SE Burl RCPT 222/40 convoluted foam RCPT 222 40mm 1 SE Burl RCPT 222/50 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 222/60 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 296/25 convoluted foam RCPT 237 50mm 1 SE Burl RCPT 296/40 convoluted foam RCPT 296 25mm 1 SE Burl RCPT 296/60 convoluted foam RCPT 296 40mm 1 SE Flat foam RCPT 105/10 flat foam RCPT 105 10mm 1	
SE Burl RCPT 161/30 convoluted foam RCPT 161 30mm 1 SE Burl RCPT 175/35 convoluted foam RCPT 175 35mm 1 SE Burl RCPT 175/40 convoluted foam RCPT 175 40mm 1 SE Burl RCPT 222/25 convoluted foam RCPT 222 25mm 1 SE Burl RCPT 222/35 convoluted foam RCPT 222 35mm 1 SE Burl RCPT 222/40 convoluted foam RCPT 222 40mm 1 SE Burl RCPT 222/50 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 222/60 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 226/60 convoluted foam RCPT 237 50mm 1 SE Burl RCPT 296/25 convoluted foam RCPT 296 25mm 1 SE Burl RCPT 296/40 convoluted foam RCPT 296 40mm 1 SE Flat foam RCPT 105/10 flat foam RCPT 105 10mm 1 SE Flat foam RCPT 105/20 flat foam RCPT 136 15mm 1 <	
SE Burl RCPT 175/35 convoluted foam RCPT 175 35mm 1 SE Burl RCPT 175/40 convoluted foam RCPT 175 40mm 1 SE Burl RCPT 222/25 convoluted foam RCPT 222 25mm 1 SE Burl RCPT 222/35 convoluted foam RCPT 222 35mm 1 SE Burl RCPT 222/40 convoluted foam RCPT 222 40mm 1 SE Burl RCPT 222/50 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 222/60 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 237/50 convoluted foam RCPT 237 50mm 1 SE Burl RCPT 296/25 convoluted foam RCPT 296 25mm 1 SE Burl RCPT 296/40 convoluted foam RCPT 296 40mm 1 SE Flat foam RCPT 105/10 flat foam RCPT 105 10mm 1 SE Flat foam RCPT 105/20 flat foam RCPT 105 20mm 1 SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Burl RCPT 175/40 convoluted foam RCPT 175 40mm 1 SE Burl RCPT 222/25 convoluted foam RCPT 222 25mm 1 SE Burl RCPT 222/35 convoluted foam RCPT 222 35mm 1 SE Burl RCPT 222/40 convoluted foam RCPT 222 40mm 1 SE Burl RCPT 222/50 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 222/60 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 237/50 convoluted foam RCPT 237 50mm 1 SE Burl RCPT 296/25 convoluted foam RCPT 296 25mm 1 SE Burl RCPT 296/40 convoluted foam RCPT 296 40mm 1 SE Burl RCPT 296/60 convoluted foam RCPT 296 60mm 1 SE Flat foam RCPT 105/10 flat foam RCPT 105 10mm 1 SE Flat foam RCPT 136/15 flat foam RCPT 136 15mm 1 SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Burl RCPT 222/25 convoluted foam RCPT 222 25mm 1 SE Burl RCPT 222/35 convoluted foam RCPT 222 35mm 1 SE Burl RCPT 222/40 convoluted foam RCPT 222 40mm 1 SE Burl RCPT 222/50 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 222/60 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 237/50 convoluted foam RCPT 237 50mm 1 SE Burl RCPT 296/25 convoluted foam RCPT 296 25mm 1 SE Burl RCPT 296/40 convoluted foam RCPT 296 40mm 1 SE Burl RCPT 296/60 convoluted foam RCPT 296 60mm 1 SE Flat foam RCPT 105/10 flat foam RCPT 105 10mm 1 SE Flat foam RCPT 105/20 flat foam RCPT 105 20mm 1 SE Flat foam RCPT 136/15 flat foam RCPT 136 20mm 1 SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Burl RCPT 222/35 convoluted foam RCPT 222 35mm 1 SE Burl RCPT 222/40 convoluted foam RCPT 222 40mm 1 SE Burl RCPT 222/50 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 222/60 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 237/50 convoluted foam RCPT 237 50mm 1 SE Burl RCPT 296/25 convoluted foam RCPT 296 25mm 1 SE Burl RCPT 296/40 convoluted foam RCPT 296 40mm 1 SE Burl RCPT 296/60 convoluted foam RCPT 296 60mm 1 SE Flat foam RCPT 105/10 flat foam RCPT 105 10mm 1 SE Flat foam RCPT 105/20 flat foam RCPT 105 20mm 1 SE Flat foam RCPT 136/15 flat foam RCPT 136 15mm 1 SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Burl RCPT 222/40 convoluted foam RCPT 222 40mm 1 SE Burl RCPT 222/50 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 222/60 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 237/50 convoluted foam RCPT 237 50mm 1 SE Burl RCPT 296/25 convoluted foam RCPT 296 25mm 1 SE Burl RCPT 296/40 convoluted foam RCPT 296 40mm 1 SE Burl RCPT 296/60 convoluted foam RCPT 296 60mm 1 SE Flat foam RCPT 105/10 flat foam RCPT 105 10mm 1 SE Flat foam RCPT 105/20 flat foam RCPT 105 20mm 1 SE Flat foam RCPT 136/15 flat foam RCPT 136 15mm 1 SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Burl RCPT 222/50 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 222/60 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 237/50 convoluted foam RCPT 237 50mm 1 SE Burl RCPT 296/25 convoluted foam RCPT 296 25mm 1 SE Burl RCPT 296/40 convoluted foam RCPT 296 40mm 1 SE Burl RCPT 296/60 convoluted foam RCPT 296 60mm 1 SE Flat foam RCPT 105/10 flat foam RCPT 105 10mm 1 SE Flat foam RCPT 105/20 flat foam RCPT 105 20mm 1 SE Flat foam RCPT 136/15 flat foam RCPT 136 15mm 1 SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Burl RCPT 222/60 convoluted foam RCPT 222 50mm 1 SE Burl RCPT 237/50 convoluted foam RCPT 237 50mm 1 SE Burl RCPT 296/25 convoluted foam RCPT 296 25mm 1 SE Burl RCPT 296/40 convoluted foam RCPT 296 40mm 1 SE Burl RCPT 296/60 convoluted foam RCPT 296 60mm 1 SE Flat foam RCPT 105/10 flat foam RCPT 105 10mm 1 SE Flat foam RCPT 105/20 flat foam RCPT 105 20mm 1 SE Flat foam RCPT 136/15 flat foam RCPT 136 15mm 1 SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Burl RCPT 237/50 convoluted foam RCPT 237 50mm 1 SE Burl RCPT 296/25 convoluted foam RCPT 296 25mm 1 SE Burl RCPT 296/40 convoluted foam RCPT 296 40mm 1 SE Burl RCPT 296/60 convoluted foam RCPT 296 60mm 1 SE Flat foam RCPT 105/10 flat foam RCPT 105 10mm 1 SE Flat foam RCPT 105/20 flat foam RCPT 105 20mm 1 SE Flat foam RCPT 136/15 flat foam RCPT 136 15mm 1 SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Burl RCPT 296/25 convoluted foam RCPT 296 25mm 1 SE Burl RCPT 296/40 convoluted foam RCPT 296 40mm 1 SE Burl RCPT 296/60 convoluted foam RCPT 296 60mm 1 SE Flat foam RCPT 105/10 flat foam RCPT 105 10mm 1 SE Flat foam RCPT 105/20 flat foam RCPT 105 20mm 1 SE Flat foam RCPT 136/15 flat foam RCPT 136 15mm 1 SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Burl RCPT 296/40 convoluted foam RCPT 296 40mm 1 SE Burl RCPT 296/60 convoluted foam RCPT 296 60mm 1 SE Flat foam RCPT 105/10 flat foam RCPT 105 10mm 1 SE Flat foam RCPT 105/20 flat foam RCPT 105 20mm 1 SE Flat foam RCPT 136/15 flat foam RCPT 136 15mm 1 SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Burl RCPT 296/60 convoluted foam RCPT 296 60mm 1 SE Flat foam RCPT 105/10 flat foam RCPT 105 10mm 1 SE Flat foam RCPT 105/20 flat foam RCPT 105 20mm 1 SE Flat foam RCPT 136/15 flat foam RCPT 136 15mm 1 SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Flat foam RCPT 105/10 flat foam RCPT 105 10mm 1 SE Flat foam RCPT 105/20 flat foam RCPT 105 20mm 1 SE Flat foam RCPT 136/15 flat foam RCPT 136 15mm 1 SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Flat foam RCPT 105/20 flat foam RCPT 105 20mm 1 SE Flat foam RCPT 136/15 flat foam RCPT 136 15mm 1 SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Flat foam RCPT 136/15 flat foam RCPT 136 15mm 1 SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Flat foam RCPT 136/20 flat foam RCPT 136 20mm 1	
SE Flat foam RCPT 161/15 flat foam RCPT 161 15mm 1	
SE Flat foam RCPT 161/30 flat foam RCPT 161 30mm 1	
SE Flat foam RCPT 175/25 flat foam RCPT 175 25mm 1	
SE Flat foam RCPT 175/35 flat foam RCPT 175 35mm 1	
SE Flat foam RCPT 222/20 flat foam RCPT 222 20mm 1	
SE Flat foam RCPT 222/35 flat foam RCPT 222 35mm 1	
SE Flat foam RCPT 222/50 flat foam RCPT 222 50mm 1	
SE Flat foam RCPT 222/75 flat foam RCPT 222 75mm 1	
SE Flat foam RCPT 237/35 flat foam RCPT 237 35mm 1	
SE Flat foam RCPT 237/50 flat foam RCPT 237 50mm 1	
SE Flat foam RCPT 296/25 flat foam RCPT 296 25mm 1	
SE Flat foam RCPT 296/40 flat foam RCPT 296 40mm 1	
SE Flat foam RCPT 296/60 flat foam RCPT 296 60mm 1	





AQURADO®

Versatile drawer storage system — modular, customized and installed in seconds!

- wide product range to suit individual applications
- suitable for every drawer size
- neat arrangement means quick access and efficient working
- perfect protection of instruments and tools
- numerous modules for universal applications as well as for special contents such as laboratory equipment, stationery...
- base pad can be cut in all sizes in 24 mm increment spacings







The proof of the suitability of the packaging in combination with the medical device to be packed must be provided by the manufacturer.



PACKAGING

Parts are packed separately



MATERIAL

- Modules: Polystyrene (PS)
- Base pad: ABS




COLORS

 Standard color black and gray

OUTER DEPTHS



OUTER DIMENSIONS



73 - 384 mm

PRODUCTION ENVIRONMENT

Industrial standard

STANDARD COLORS



Product Range

Aqurado® Sets

Article	Description	Outer length	Outer width	Outer height	PU
AQ-Set 5443	12 modules + base pad	600mm	408mm	24mm	1
AQ-Set 5444	11 modules + base pad	600mm	576mm	48mm	1
AQ-Set 5445	20 modules + base pad	600mm	600mm	48mm	1
AQ-Set 5446	24 modules + base pad	528mm	480mm	24mm	1

Aqurado® Modules

Article	Description	Outer length	width	height	PU
AQ-Multi 0102	3 compartments	192mm	96mm	24mm	84
AQ-Multi 0103	2 compartments	288mm	96mm	24mm	56
AQ-Multi 0113	8 compartments	192mm	144mm	24mm	56
AQ-Uni 0100		96mm	48mm	24mm	120
AQ-Uni 0101		96mm	96mm	24mm	60
AQ-Uni 0104		192mm	96mm	24mm	84
AQ-Uni 0105		96mm	96mm	48mm	84
AQ-Uni 0106		192mm	96mm	48mm	72
AQ-Uni 0107		240mm	96mm	48mm	57
AQ-Uni 0108		288mm	96mm	48mm	48
AQ-Uni 0109		336mm	96mm	48mm	39
AQ-Uni 0110		288mm	96mm	24mm	56
AQ-Uni 0111		144mm	96mm	48mm	56
AQ-Uni 0112		144mm	96mm	24mm	40
AQ-Uni 0114		384mm	144mm	48mm	24
AQ-Uni 0115		336mm	240mm	48mm	15
AQ-Uni 0116		144mm	144mm	48mm	64
AQ-Uni 0117		192mm	144mm	48mm	48
AQ-Uni 0118	module for 5 dividers	144mm	144mm	48mm	64
AQ-Uni 0119	module for 7 dividers	192mm	144mm	48mm	48
AQ-Uni 0120	module for 15 dividers	384mm	144mm	48mm	24
AQ-Uni 0121		192mm	72mm	48mm	56
AQ-Uni 0122		192mm	72mm	24mm	40
AQ-Vario 1114	end-piece, 8 compartments	192mm	48mm	24mm	60
AQ-Vario 1115	end-piece, 8 compartments	192mm	73mm	24mm	40
AQ-Vario 1116	end-piece, 3 compartments	96mm	96mm	24mm	60
AQ-Vario 1117	end-piece, 2 compartments	96mm	96mm	24mm	60
AQ-Vario 1118	end-piece, 1 compartments	73mm	48mm	24mm	80
AQ-Vario 1119	end-piece, 1 compartments	96mm	96mm	24mm	60
AQ-Vario 1121	end-piece, 1 compartments	92mm	72mm	48mm	32
AQ-Vario 1122	end-piece, 1 compartments	92mm	72mm	24mm	80

Vario modules: two parts needed

Accessories see next page **7**



Compartmentalized
thinking can sometimes
make sense - if it
ensures perfect
organization

68



PACKAGING

Parts are packed separately in individual cartons



MATERIAL


- Modules: Polystyrene (PS)
- Base pad: ABS




COLORS

 Standard color black and gray

INNER DEPTHS



INNER DIMENSIONS



73 - 384 mm

PRODUCTION ENVIRONMENT

Industrial standard

STANDARD COLORS



Product Range

Aqurado® accessories

Article	Description	Outer length	Outer width	Outer height	PU
AQ-Extra 4100	cutting guide/aid				25
AQ-Extra 4101	multi-purpose knife				60
AQ-Extra 4102	adhesive pads (6 pcs.)				25
AQ-Extra 4103	adhesive pads (34 pcs.)				50
AQ-Extra 4104	label tab (vertical)	45mm	13mm		50
AQ-Extra 4105	label tab (horizontal)	48mm	15mm		50
AQ-Extra 4107	eccentric fixing pins				20
AQ-Extra 4390	assembly kit				10
AQ-Extra 4400	cover	96mm	96mm		10
AQ-Extra 4401	cover	96mm	48mm		10
AQ-Extra 4402	cover	144mm	96mm		10
AQ-Extra 4403	cover	192mm	96mm		10
AQ-Extra 4500	divider			60mm	10
AQ-Extra 4501	divider			100mm	10

Aqurado® base pad

Article	Outer length	Outer width	PU
AQ-Base 3907	1584mm	624mm	16







Production locations

GERMANY

rose plastic medical packaging GmbH

Rupolzer Straße 30 88138 Hergensweiler/Lindau Tel. +49 8388 92345-0 info@rose-medipack.de

USA

rose plastic medical packaging USA LLLP

P.O. Box 210, California, PA 15419 545 Technology Drive, Coal Center, PA 15423 Tel. +1 724 938 8530 info@rose-medipack.us

CHINA

rose plastic (Kunshan) Co., Ltd.

Donghui Road No. 101, Zhoushi Town, Kunshan, Jiangsu Province Tel. +86 512 5766 7700 info@rose-plastic.cn

BRAZIL

rose plastic Brasil Embalagens Plásticas Ltda.

Av. Garabed Gananiam 514, Jardim Topázio CEP 18087-340 Sorocaba SP Tel. +55 15 3142 3050 info@rose-plastic.com.br

INDIA

rose plastic India Pvt. Ltd.

Pargaon, Khandala, Satara - 412802 Maharashtra - India Tel. +91 21 6929 9151 info@rose-plastic.in

Subsidiaries

UNITED KINGDOM

rose plastic UK Ltd.

Unit 4, Bessemer Way, Bessemer Business Park, Rotherham, S60 1EN Tel. +44 1709 7217 94 info@rose-plastic.co.uk

FRANCE

rose plastic France S.A.R.L.

Parc d'Activités du Rotey 73460 Notre Dame des Millières Tel. +33 479 3848 01 info@rose-plastic.fr

SPAIN

rose plastic Iberia, S.L.U.

P.A.E. Ibarrabarri, Pab. 15B 48940 Leioa (Vizcaya) Tel. + 34 94 480 66 61 info@rose-plastic.es

REPUBLIC OF KOREA

rose plastic Korea Co., Ltd.

Bucheon Techno Park 402-B01, B02, Pyung-Cheon Ro 655, Won-mi-gu, Bucheon City, Gyung-gi-do, ROK 14502 Tel. +82 32 324-8332 info@rose-plastic.kr

ITALY

rose plastic Italia S.r.l.

Viale De Gasperi 103 20017 Rho (MI) Tel. +39 02 9390 9450 info@rose-plastic.it

